Product Datasheet

CDK2 Antibody - BSA Free NBP2-15841

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-15841

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-15841



NBP2-15841

CDK2 Antibody - BSA Free

Recommended Dilutions


OBINZ Antibody - BOAT Tee	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol
Target Molecular Weight	34 kDa
Product Description	
Host	Rabbit
Gene ID	1017
Gene Symbol	CDK2
Species	Human, Fish
Reactivity Notes	Japanese Medaka (100%), Xenopus laevis (91%). Bovine reactivity reported in scientific literature (PMID:31987327).
Immunogen	Recombinant protein encompassing a sequence within the center region of human CDK2. The exact sequence is proprietary.
Product Application Details	
Applications	Western Blot, Knockout Validated

Western Blot 1:500-1:10000, Knockout Validated




Images

Western Blot: CDK2 Antibody [NBP2-15841] - A. 30 ug 293T whole cell lysate/extract B. 30 ug whole cell lysate/extract of human CD2K-transfected 293T cells 12 % SDS-PAGE CDK2 antibody [N1C3] dilution: 1:5000



Western Blot: CDK2 Antibody [NBP2-15841] - Wild-type (WT) and CDK2 knockout (KO) 293T cell extracts (30 ug) were separated by 12% SDS-PAGE, and the membrane was blotted with CDK2 antibody diluted at 1:500. HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody



Publications

Fu C, Mao W, Gao R et al. Prostaglandin F2 alpha-PTGFR signaling promotes proliferation of endometrial epithelial cells of cattle through cell cycle regulation Anim. Reprod. Sci. 2020-02-01 [PMID: 31987327] (WB, Bovine)



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-15841

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-72424-50ug Recombinant Human CDK2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-15841

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

