Product Datasheet

DARS Antibody - BSA Free NBP2-16101

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-16101

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-16101



NBP2-16101


DARS Antibody - BSA Free

Product Information Unit Size 0.1 ml Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.01% Thimerosal Isotype IgG Purity Antigen Affinity-purified Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunohistochemistry-Paraffin	Drive runibody Borried	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.01% Thimerosal Isotype IgG Purity Antigen Affinity-purified Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot 1:500-1:3000, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Product Information	
contact technical sérvices. Storage Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. Clonality Polyclonal Preservative 0.01% Thimerosal Isotype IgG Purity Antigen Affinity-purified Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot 1:500-1:3000, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Unit Size	0.1 ml
Clonality Polyclonal Preservative 0.01% Thimerosal Isotype IgG Purity Antigen Affinity-purified Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Concentration	
Preservative 0.01% Thimerosal Isotype IgG Purity Antigen Affinity-purified Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Isotype IgG Purity Antigen Affinity-purified Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Clonality	Polyclonal
Purity Antigen Affinity-purified Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Preservative	0.01% Thimerosal
Buffer 0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Isotype	IgG
Target Molecular Weight 57 kDa Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Purity	Antigen Affinity-purified
Product Description Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Buffer	0.1M Tris (pH 7), 0.1M Glycine, 20% Glycerol
Host Rabbit Gene ID 1615 Gene Symbol DARS1 Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Target Molecular Weight	57 kDa
Gene Symbol DARS1 Species Human Reactivity Notes Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Product Description	
Gene Symbol Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Host	Rabbit
Species Human Reactivity Notes Xenopus laevis (94%). Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Gene ID	1615
Reactivity Notes Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Gene Symbol	DARS1
Immunogen Recombinant protein encompassing a sequence within the C-terminus region of human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Species	Human
human DARS. The exact sequence is proprietary. Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Reactivity Notes	Xenopus laevis (94%).
Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Immunogen	
Recommended Dilutions Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000,	Product Application Details	
, , , , , , , , , , , , , , , , , , , ,	Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
	Recommended Dilutions	




Images

Immunohistochemistry-Paraffin: DARS Antibody [NBP2-16101] - Human lung cancer, using DARS antibody at 1:500 dilution. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min.



Western Blot: DARS Antibody [NBP2-16101] - Whole cell extract (30 ug) was separated by 7.5% SDS-PAGE, and the membrane was blotted with DARS antibody (NBP2-16101) diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody was used to detect the primary antibody.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-16101

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-99067-100ug Recombinant Human DARS His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-16101

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

