

Product Datasheet

Fibrillarin Antibody NBP2-16492

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-16492

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-16492



NBP2-16492**Fibrillarin Antibody****Product Information**

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS (pH 7), 20% Glycerol, 1% BSA
Target Molecular Weight	34 kDa

Product Description


Host	Rabbit
Gene ID	2091
Gene Symbol	FBL
Species	Human, Mouse, Rat
Marker	Nucleolar Marker
Immunogen	Recombinant protein encompassing a sequence within the center region of human Fibrillarin. The exact sequence is proprietary.

Product Application Details


Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500-1:3000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunoprecipitation 1:100-1:500

Images


Western Blot: Fibrillarin Antibody [NBP2-16492] - Fibrillarin antibody immunoprecipitates FBL protein in IP experiments. IP samples: HeLa nuclear extract. A. 35 ug HeLa nuclear extract. B. Control with 4 ug of preimmune Rabbit IgG. C. Immunoprecipitation of FBL protein by 4 ug Fibrillarin antibody. 10 % SDS-PAGE. The immunoprecipitated FBL protein was detected by Fibrillarin antibody diluted at 1:1000.




Immunocytochemistry/Immunofluorescence: Fibrillarin Antibody [NBP2-16492] - Confocal immunofluorescence analysis of paraformaldehyde-fixed HeLa, using Fibrillarin antibody (Green) at 1:500 dilution. Alpha-tubulin filaments are labeled with Alpha-tubulin antibody (Red) at 1:2000.




Western Blot: Fibrillarin Antibody [NBP2-16492] - 30 ug Rat whole cell lysate/extract 12 % SDS-PAGE Fibrillarin antibody dilution: 1:1000.



Western Blot: Fibrillarin Antibody [NBP2-16492] - Sample (30 ug of whole cell lysate) A: 293T B: H1299 12% SDS PAGE gel, diluted at 1:1000.



Western Blot: Fibrillarin Antibody [NBP2-16492] - Sample (30 ug of whole cell lysate) A: NIH-3T3 10% SDS PAGE gel, diluted at 1:1000.





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-16492

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP3-21414PEP	Fibrillarin Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-16492

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

