

Product Datasheet

GO Protein alpha Antibody

NBP2-16703

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-16703

Updated 9/9/2025 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-16703



NBP2-16703

GO Protein alpha Antibody

Product Information

Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.01% Thimerosal
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	PBS, 1% BSA, 20% Glycerol
Target Molecular Weight	40 kDa

Product Description


Description	Novus Biologicals Rabbit GO Protein alpha Antibody (NBP2-16703) is a polyclonal antibody validated for use in IHC, WB, ICC/IF and IP. Anti-GO Protein alpha Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	2775
Gene Symbol	GNAO1
Species	Human, Mouse, Rat, Zebrafish
Immunogen	Recombinant protein encompassing a sequence within the center region of human GO Protein alpha. The exact sequence is proprietary.

Product Application Details


Applications	Western Blot, Immunohistochemistry-Paraffin, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunoprecipitation
Recommended Dilutions	Western Blot 1:500-1:20000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunoprecipitation 1:100-1:500, Immunohistochemistry-Paraffin 1:100-1:1000, Immunohistochemistry-Frozen 1:100-1:1000

Images


Western Blot: GO Protein alpha Antibody [NBP2-16703] - Various tissue extracts (50 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with GNAO1 antibody diluted at 1:10000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.




Immunocytochemistry/Immunofluorescence: GO Protein alpha Antibody [NBP2-16703] - DIV9 rat E18 primary hippocampal neuron cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: GNAO1 stained by GNAO1 antibody diluted at 1:500. Red: beta Tubulin 3/ Tuj1, stained by beta Tubulin 3/ Tuj1 antibody [1338] (GTX631831) diluted at 1:500. Blue: Fluoroshield with DAPI.




Immunohistochemistry-Frozen: GO Protein alpha Antibody [NBP2-16703] - Frozen-sectioned mouse cerebellum. Green: GNAO1 stained by GNAO1 antibody diluted at 1:250. Red: NF-H, stained by NF-H antibody [114] diluted at 1:500. Blue: Fluoroshield with DAPI.




Western Blot: GO Protein alpha Antibody [NBP2-16703] - Various whole cell extracts (30 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with GNAO1 antibody diluted at 1:1000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.




Western Blot: GO Protein alpha Antibody [NBP2-16703] - Various tissue extracts (50 ug) were separated by 10% SDS-PAGE, and the membrane was blotted with GNAO1 antibody diluted at 1:10000. The HRP-conjugated anti-rabbit IgG antibody (NBP2-19301) was used to detect the primary antibody.




Immunohistochemistry-Paraffin: GO Protein alpha Antibody [NBP2-16703] - Colon carcinoma. GNAO1 antibody dilution: 1:500. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min.




Immunohistochemistry-Paraffin: GO Protein alpha Antibody [NBP2-16703] - Mouse pancreas. GNAO1 antibody diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Immunohistochemistry-Paraffin: GO Protein alpha Antibody [NBP2-16703] - Rat pancreas. GNAO1 antibody diluted at 1:500. Antigen Retrieval: Citrate buffer, pH 6.0, 15 min.



Immunoprecipitation: GO Protein alpha Antibody [NBP2-16703] - GNAO1 protein from HeLa whole cell extracts using 5 ug of GNAO1 antibody (NBP2-16703). Western blot analysis was performed using GNAO1 antibody (NBP2-16703). EasyBlot anti-Rabbit IgG was used as a secondary reagent.



Immunohistochemistry-Paraffin: GO Protein alpha Antibody [NBP2-16703] - Analysis of paraffin-embedded zebrafish tissue, using GNAO1 antibody at 1:300 dilution.



Publications

Chen S, Zhi Z et al. Bright Light Suppresses Form-Deprivation Myopia Development With Activation of Dopamine D1 Receptor Signaling in the ON Pathway in Retina. Invest Ophthalmol Vis Sci 2017-01-04 [PMID: 28431434] (IF/IHC, Mouse)



Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-16703

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
NBP2-38477PEP	GO Protein alpha Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-16703

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

