Product Datasheet

KIR2DL4/CD158d Antibody NBP2-17062

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-17062

Updated 2/10/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-17062



NBP2-17062


KIR2DL4/CD158d Antibody

O.1 ml Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles. Polyclonal
Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
contact technical services. Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Polyclonal
0.01% Thimerosal
gG
Antigen Affinity-purified
0.1M Tris (pH 7), 0.1M Glycine, 10% Glycerol
41 kDa
Rabbit
3805
KIR2DL4
Human
mmunogen displays the following percentage of sequence identity for non- tested species: Rhesus MonkeyMonkey (89%), Chimpanzee (96%).
Recombinant protein encompassing a sequence within the center region of numan KIR2DL4/CD158d. The exact sequence is proprietary.
Western Blot, Immunocytochemistry/ Immunofluorescence, mmunohistochemistry, Immunohistochemistry-Paraffin
Western Blot 1:500-1:3000, Immunohistochemistry 1:100-1:1000, Immunocytochemistry/ Immunofluorescence 1:100-1:1000, Immunohistochemistry-Paraffin 1:100-1:1000




Images


Western Blot: KIR2DL4/CD158d Antibody [NBP2-17062] - Sample (30 ug of whole cell lysate) A: THP-1 10% SDS PAGE gel, diluted at 1:1000.



Immunocytochemistry/Immunofluorescence: KIR2DL4/CD158d Antibody [NBP2-17062] - HeLa cells were fixed in 4% paraformaldehyde at RT for 15 min. Green: KIR2DL4 protein stained by KIR2DL4 antibody diluted at 1:500. Blue: Hoechst 33342 staining.



Immunohistochemistry-Paraffin: KIR2DL4/CD158d Antibody [NBP2-17062] - Human breast cancer, using KIR2DL4 antibody at 1:250 dilution. Antigen Retrieval: Trilogy™ (EDTA based, pH 8.0) buffer, 15min





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-17062

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

