# **Product Datasheet**

# UbcH5b/UBE2D2 Antibody NBP2-20783

Unit Size: 0.1 ml

Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-20783

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-20783



#### NBP2-20783

UbcH5b/UBE2D2 Antibody


Product Information Unit Size 0.1 ml  Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.  Storage Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.  Clonality Polyclonal  Preservative 0.01% Thimerosal  Isotype IgG  Purity Antigen Affinity-purified  Buffer PBS (pH 7) 20% Glycerol, 1% BSA		
ConcentrationConcentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.StorageAliquot and store at -20C or -80C. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.01% ThimerosalIsotypeIgGPurityAntigen Affinity-purified	Product Information	
contact technical services.  Storage Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.  Clonality Polyclonal  Preservative 0.01% Thimerosal  Isotype IgG  Purity Antigen Affinity-purified	Unit Size	0.1 ml
Clonality Polyclonal Preservative 0.01% Thimerosal Isotype IgG Purity Antigen Affinity-purified	Concentration	,
Preservative 0.01% Thimerosal  Isotype IgG  Purity Antigen Affinity-purified	Storage	Aliquot and store at -20C or -80C. Avoid freeze-thaw cycles.
Isotype IgG Purity Antigen Affinity-purified	Clonality	Polyclonal
Purity Antigen Affinity-purified	Preservative	0.01% Thimerosal
, , ,	Isotype	lgG
Buffer PBS (nH 7) 20% Glycerol 1% BSA	Purity	Antigen Affinity-purified
1 55 (pri 1), 25% Gly66161, 1% 56A	Buffer	PBS (pH 7), 20% Glycerol, 1% BSA
Target Molecular Weight 17 kDa	Target Molecular Weight	17 kDa

Rabbit
7322
UBE2D2
Human
Xenopus laevis (92%).
Full length human UbcH5b/UBE2D2 Recombinant protein.

<b>Product Application Details</b>	
Applications	Western Blot
Recommended Dilutions	Western Blot 1:500-1:3000

## **Images**

Western Blot: UbcH5b/UBE2D2 Antibody [NBP2-20783] - Sample (30 ug of whole cell lysate) A: NT2D1 B: U87-MG 15% SDS PAGE gel, diluted at 1:1000.



#### **Publications**

Alfieri C, Tischer T, Barford D A unique binding mode of Nek2A to the APC/C allows its ubiquitination during prometaphase EMBO Rep. 2020-04-19 [PMID: 32307883]





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-20783**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-81769PEP UbcH5b/UBE2D2 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-20783

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

