Product Datasheet

Complement Component C9 Antibody (22) - BSA Free NBP2-21612

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-21612

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-21612



NBP2-21612

Complement Component C9 Antibody (22) - BSA Free

Product Information Unit Size	Complement Component C9 Antibody (22) - BSA Free	
Concentration 1 mg/ml Storage Store at 4C in the dark. Clonality Monoclonal Clone 22 Preservative 0.9% Sodium Azide Isotype IgG1 Kappa Purity Protein A or G purified Buffer 0.01 M phosphate buffer, pH 7.4, containing 0.5 M NaCl Product Description Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Product Information	
Storage Store at 4C in the dark. Clonality Monoclonal Clone 22 Preservative 0.9% Sodium Azide Isotype IgG1 Kappa Purity Protein A or G purified Buffer 0.01 M phosphate buffer, pH 7.4, containing 0.5 M NaCl Product Description Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Unit Size	0.1 ml
Clonality Monoclonal Clone 22 Preservative 0.9% Sodium Azide Isotype IgG1 Kappa Purity Protein A or G purified Buffer 0.01 M phosphate buffer, pH 7.4, containing 0.5 M NaCl Product Description Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Concentration	1 mg/ml
Clone 22 Preservative 0.9% Sodium Azide Isotype IgG1 Kappa Purity Protein A or G purified Buffer 0.01 M phosphate buffer, pH 7.4, containing 0.5 M NaCl Product Description Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Storage	Store at 4C in the dark.
Preservative	Clonality	Monoclonal
Isotype	Clone	22
Purity Protein A or G purified Buffer 0.01 M phosphate buffer, pH 7.4, containing 0.5 M NaCl Product Description Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Preservative	0.9% Sodium Azide
Buffer 0.01 M phosphate buffer, pH 7.4, containing 0.5 M NaCl Product Description Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Isotype	IgG1 Kappa
Product Description Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Purity	Protein A or G purified
Host Mouse Gene ID 735 Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Buffer	0.01 M phosphate buffer, pH 7.4, containing 0.5 M NaCl
Gene Symbol C9 Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Product Description	
Gene Symbol Species Human Immunogen Complement factor C9 Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Host	Mouse
Species Human	Gene ID	735
Immunogen Complement factor C9	Gene Symbol	C9
Product Application Details Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Species	Human
Applications Western Blot, ELISA, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10-1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Immunogen	Complement factor C9
Immunohistochemistry Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:100-1:2000, Immunohistochemistry 1:10- 1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Product Application Details	
1:500, Immunocytochemistry/ Immunofluorescence 1:10-1:500 Application Notes ELISA: NBP2-21612 recognizes C9 in human serum diluted 1/50 in Tris buffer (20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Applications	
(20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,	Recommended Dilutions	
, .	Application Notes	(20 mM Tris-base, 1 mM MgCl2, 1 mM CaCl2 and 140 mM NaCl) and incubated for 2 hours at 37C using a human IgM coated (10 ug/mL overnight at 4C,




Images


Immunohistochemistry: Complement Component C9 Antibody (22) - BSA Free [NBP2-21612] - Staining of human liver with complement component C9 antibody. Plasma of portal veins are strongly stained.




Immunohistochemistry: Complement Component C9 Antibody (22) - BSA Free [NBP2-21612] - Staining of human kidney with complement component C9 antibody. Plasma of veins are strongly stained.



Immunohistochemistry: Complement Component C9 Antibody (22) - BSA Free [NBP2-21612] - staining of tonsil tissue with complement component C9 antibody. Follicular dendritic cell network stained strongly in germinal centers of tonsil tissue.



Immunohistochemistry: Complement Component C9 Antibody (22) - BSA Free [NBP2-21612] - staining of tonsil tissue with complement component C9 antibody. Follicular dendritic cell network stained strongly in germinal centers of tonsil tissue. Also moderate staining were observed from plasma of veins.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-21612

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

H00000735-P01-10ug Recombinant Human Complement Component C9 GST (N-Term)

Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-21612

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

