Product Datasheet

Lipocalin-2/NGAL Antibody (10) - BSA Free NBP2-21746

Unit Size: 0.1 mg

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-21746

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-21746




NBP2-21746

Lipocalin-2/NGAL Antibody (10) - BSA Free

Product InformationUnit Size0.1 mgConcentration1.0 mg/mlStorageStore at 4C in the dark.ClonalityMonoclonalClone10Preservative0.9% Sodium AzideIsotypeIgG1 KappaPurityProtein A or G purifiedBuffer10mM Phosphate (pH 7.4) and 0.5M NaClProduct Description3934Gene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)SpeciesRecombinant mouse NGALProduct Application DetailsKestern Blot, ELISAApplicationsWestern Blot, ELISARecommended DilutionsSeture antibody and biotinylated NBP1-05183. It is recommended to use antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use antibody with NBP2-21746 can be used in Western Bloting.		
Concentration1.0 mg/mlStorageStore at 4C in the dark.ClonalityMonoclonalClone10Preservative0.9% Sodium AzideIsotypeIgG1 KappaPurityProtein A or G purifiedBuffer10mM Phosphate (pH 7.4) and 0.5M NaClProduct DescriptionHostRatGene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)ImmunogenRecombinant mouse NGALProduct Application DetailsWestern Blot, ELISAApplicationsWestern Blot, ELISAApplication NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Product Information	
Storage Store at 4C in the dark. Clonality Monoclonal Clone 10 Preservative 0.9% Sodium Azide Isotype IgG1 Kappa Purity Protein A or G purified Buffer 10mM Phosphate (pH 7.4) and 0.5M NaCl Product Description Host Host Rat Gene ID 3934 Gene Symbol LCN2 Species Mouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative) Species Mouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative) Specificity/Sensitivity NBP2-21746 binds NGAL in mouse serum. Immunogen Recombinant mouse NGAL Product Application Details Applications Applications Western Blot, ELISA Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:2000 Application Notes ELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Unit Size	0.1 mg
ClonalityMonoclonalClone10Preservative0.9% Sodium AzideIsotypeIgG1 KappaPurityProtein A or G purifiedBuffer10mM Phosphate (pH 7.4) and 0.5M NaClProduct DescriptionHostRatGene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Product Application DetailsWestern Blot, ELISAApplicationsWestern Blot, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Concentration	1.0 mg/ml
Clone10Preservative0.9% Sodium AzideIsotypeIgG1 KappaPurityProtein A or G purifiedBuffer10mM Phosphate (pH 7.4) and 0.5M NaClProduct DescriptionHostHostRatGene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application DetailsWestern Blot, ELISAApplicationsWestern Blot, ELISARecommended DilutionsKestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 binds as a capture antibody and biotinylated NBP1-05183 as a detection	Storage	Store at 4C in the dark.
Preservative0.9% Sodium AzideIsotypeIgG1 KappaPurityProtein A or G purifiedBuffer10mM Phosphate (pH 7.4) and 0.5M NaClProduct DescriptionHostRatGene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application DetailsWestern Blot, ELISAApplicationsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-71746 as a capture antibody and biotinylated NBP1-05183 as a detection	Clonality	Monoclonal
IsotypeIgG1 KappaPurityProtein A or G purifiedBuffer10mM Phosphate (pH 7.4) and 0.5M NaClProduct DescriptionHostRatGene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application Details ApplicationsWestern Blot, ELISAApplication NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Clone	10
Purity Protein A or G purified Buffer 10mM Phosphate (pH 7.4) and 0.5M NaCl Product Description Image: Construction of the second s	Preservative	0.9% Sodium Azide
Buffer 10mM Phosphate (pH 7.4) and 0.5M NaCl Product Description Host Rat Gene ID 3934 Gene Symbol LCN2 Species Mouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative) Specificity/Sensitivity NBP2-21746 binds NGAL in mouse serum. Immunogen Recombinant mouse NGAL Product Application Details Western Blot, ELISA Applications Western Blot 1:100-1:2000, ELISA 1:2000 Application Notes ELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Isotype	IgG1 Kappa
Product Description Host Rat Gene ID 3934 Gene Symbol LCN2 Species Mouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative) Specificity/Sensitivity NBP2-21746 binds NGAL in mouse serum. Immunogen Recombinant mouse NGAL Product Application Details Mestern Blot, ELISA Applications Western Blot 1:100-1:2000, ELISA 1:2000 Application Notes ELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Purity	Protein A or G purified
HostRatGene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application DetailsWestern Blot, ELISAApplicationsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Buffer	10mM Phosphate (pH 7.4) and 0.5M NaCl
Gene ID3934Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application Details ApplicationsWestern Blot, ELISARecommended DilutionsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Product Description	
Gene SymbolLCN2SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application DetailsWestern Blot, ELISAApplicationsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Host	Rat
SpeciesMouse, Canine (Negative), Human (Negative), Porcine (Negative), Rat (Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application Details ApplicationsWestern Blot, ELISARecommended DilutionsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Gene ID	3934
Image: Negative)Specificity/SensitivityNBP2-21746 binds NGAL in mouse serum.ImmunogenRecombinant mouse NGALProduct Application DetailsApplicationsWestern Blot, ELISARecommended DilutionsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Gene Symbol	LCN2
ImmunogenRecombinant mouse NGALProduct Application DetailsApplicationsWestern Blot, ELISARecommended DilutionsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Species	
Product Application Details Applications Western Blot, ELISA Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:2000 Application Notes ELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Specificity/Sensitivity	NBP2-21746 binds NGAL in mouse serum.
ApplicationsWestern Blot, ELISARecommended DilutionsWestern Blot 1:100-1:2000, ELISA 1:2000Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Immunogen	Recombinant mouse NGAL
Recommended Dilutions Western Blot 1:100-1:2000, ELISA 1:2000 Application Notes ELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Product Application Details	
Application NotesELISA: NBP2-21746 binds free mouse NGAL in solution. NBP2-21746 forms an antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Applications	Western Blot, ELISA
antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection	Recommended Dilutions	Western Blot 1:100-1:2000, ELISA 1:2000
	Application Notes	antibody pair for sandwich ELISA with NBP1-05183. It is recommended to use NBP2-21746 as a capture antibody and biotinylated NBP1-05183 as a detection

Images

ELISA: Lipocalin-2/NGAL Antibody (10) - BSA Free [NBP2-21746] - The figure illustrates the calibration curve of a sandwich assay with NBP2-21746 as the capture antibody and NBP2-23594 as the biotinylated detection antibody.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-21746

	-
NBP2-61329-10ug	Recombinant Human Lipocalin-2/NGAL Protein
NBP1-43322-0.5mg	Rat IgG1 Kappa Light Chain Isotype Control (RG1)
F0105B	Goat anti-Rat IgG Secondary Antibody [Phycoerythrin]
HAF005	Goat anti-Rat IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-21746

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

