Product Datasheet

ICAM-1/CD54 Antibody (1A29) [Allophycocyanin] NBP2-22541APC

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-22541APC

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-22541APC



NBP2-22541APC

ICAM-1/CD54 Antibody (1A29) [Allophycocyanin]

Unit Size 0.1 ml Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 1A29 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate Allophycocyanin Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofiluorescence, Immunohistochemistry-Paraffin, Iroximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating, Block/Neutralize, Free-Floating, Block/Neutralize, Immunohistochemistry-Paraffin, Immunohistochemistry-Free-Floating, Block/Neutralize, Immunohistochemistry-Paraffin, Immunohistochemistry-Free-Floating, Block/Neutralize, Immunohistochemistry-Paraffin, Immunohistochemistry-Free-Floating, Block/Neutralize	ICAM-1/CD34 Antibody (1A29) [Aliophycocyanin]	
Concentration Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 1A29 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate Allophycocyanin Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse on Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunofistochemistry-Paraffin, Immunofistochemistry/Immunofistochemistry-Paraffin, Immunofistochemistry/Immunofistochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunohistochemistry/Immunofistochemistry/Immunohistochemistry/Immunohistochemistry/Immunofistoch	Product Information	
contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 1A29 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate Allophycocyanin Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunohistochemistry-Prozen, Immunohistochemistry-Prozen, Immunohistochemistry-Prozen, Immunohistochemistry-Prozening Immunohistochem	Unit Size	0.1 ml
Clone 1A29 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate Allophycocyanin Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry/Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry/Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry/Immunohistochemistry/Frozen, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry-Paraffin, Immunohistochemistry/Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immun	Concentration	
Clone 1A29 Preservative 0.05% Sodium Azide Isotype IgG1 Conjugate Allophycocyanin Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry Free-Floating Recommended Dilutions	Storage	Store at 4C in the dark.
Preservative Isotype IgG1 Conjugate Allophycocyanin Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry-Prozen, Immunohistochemistry-Frozen, Immunohistochemistry-Prozen, Immunohistochemistry-Proz	Clonality	Monoclonal
Isotype IgG1	Clone	1A29
Conjugate Allophycocyanin Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry-Proximity Ligation Assay, Elect	Preservative	0.05% Sodium Azide
Purity Protein A or G purified Buffer PBS Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry/Immunohistochemistry-Paraffin, Immunohistochemistry/Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Isotype	IgG1
Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry-Frozen, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Conjugate	Allophycocyanin
Product Description Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunocytochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Purity	Protein A or G purified
Host Mouse Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Fre-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Buffer	PBS
Gene ID 3383 Gene Symbol ICAM1 Species Human, Mouse, Rat Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry Free-Floating Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Product Description	
Gene Symbol ICAM1 Species Human, Mouse, Rat Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Host	Mouse
Reactivity Notes	Gene ID	3383
Reactivity Notes Please note that this antibody is reactive to Mouse and derived from the same host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Gene Symbol	ICAM1
host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more information. Immunogen Rat lymph node stroma Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Species	Human, Mouse, Rat
Product Application Details Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry- Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Reactivity Notes	host, Mouse. Additional Mouse on Mouse blocking steps may be required for IHC and ICC experiments. Please contact Technical Support for more
Applications Western Blot, Electron Microscopy, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry- Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Immunogen	Rat lymph node stroma
Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize, Immunohistochemistry Free-Floating Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry- Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Product Application Details	
Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry	Applications	Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, Proximity Ligation Assay, Block/Neutralize,
	Recommended Dilutions	Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen, Proximity Ligation Assay, Electron Microscopy, Immunohistochemistry





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-22541APC

NBP1-97005APC Mouse IgG1 Isotype Control (MG1) [Allophycocyanin]

NBP1-88701PEP ICAM-1/CD54 Recombinant Protein Antigen

210-TA-005 TNF-alpha [Unconjugated] 796-IC-050 ICAM-1/CD54 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-22541APC

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

