Product Datasheet

Protein Phosphatase inhibitor 1 Antibody - BSA Free NBP2-24490

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-24490

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-24490



NBP2-24490


Protein Phosphatase inhibitor 1 Antibody - BSA Free

Product InformationUnit Size0.1 mgConcentration0.5 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBuffer0.2 ml PBS and 0.2% GelatinProduct DescriptionSto2HostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanze (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin	-	-
Concentration0.5 mg/mlStorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBuffer0.2 ml PBS and 0.2% GelatinProduct DescriptionHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Product Information	
StorageStore at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBuffer0.2 ml PBS and 0.2% GelatinProduct DescriptionStoreHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Unit Size	0.1 mg
cycles.ClonalityPolyclonalPreservative0.05% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBuffer0.2 ml PBS and 0.2% GelatinProduct DescriptionRabbitHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry.	Concentration	0.5 mg/ml
Preservative0.05% Sodium AzideIsotypeIgGPurityImmunogen affinity purifiedBuffer0.2 ml PBS and 0.2% GelatinProduct DescriptionRabbitHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Storage	
IsotrationIgGPurityImmunogen affinity purifiedBuffer0.2 ml PBS and 0.2% GelatinProduct DescriptionHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Clonality	Polyclonal
PurityImmunogen affinity purifiedBuffer0.2 ml PBS and 0.2% GelatinProduct DescriptionRabbitHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Preservative	0.05% Sodium Azide
Buffer0.2 ml PBS and 0.2% GelatinProduct DescriptionHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Isotype	IgG
Product DescriptionHostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Purity	Immunogen affinity purified
HostRabbitGene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Buffer	0.2 ml PBS and 0.2% Gelatin
Gene ID5502Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Product Description	
Gene SymbolPPP1R1ASpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Host	Rabbit
SpeciesHuman, Canine, Equine, PrimateReactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Gene ID	5502
Reactivity NotesChimpanzee (100%), Chicken (73%).ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Gene Symbol	PPP1R1A
ImmunogenA portion of amino acids 50-100 of human IPP-1 was used as the immunogen.Product Application DetailsApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Species	Human, Canine, Equine, Primate
Product Application Details Applications Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Western Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Reactivity Notes	Chimpanzee (100%), Chicken (73%).
ApplicationsWestern Blot, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsWestern Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Immunogen	A portion of amino acids 50-100 of human IPP-1 was used as the immunogen.
Recommended Dilutions Western Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-	Product Application Details	
	Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
	Recommended Dilutions	




Images

Western Blot: Protein Phosphatase inhibitor 1 Antibody [NBP2-24490] -Analysis of IPP-1 in human ovary lysate in the 1) absence and 2) presence of immunizing peptide using this antibody at 1 ug/ml.



Immunohistochemistry-Paraffin: Protein Phosphatase inhibitor 1 Antibody [NBP2-24490] - Analysis of human kidney using this antibody at 10 ug/ml.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-24490

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00005502-P01-10ug	Recombinant Human Protein Phosphatase inhibitor 1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24490

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

