Product Datasheet

HSP27 Antibody NBP2-24533

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-24533

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-24533



NBP2-24533


HSP27 Antibody

Hor 27 Antibody	
Product Information	
0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.05% Sodium Azide	
IgG	
Immunogen affinity purified	
PBS, 0.05% BSA	
Product Description	
Rabbit	
3315	
HSPB1	
Human, Canine, Equine, Primate	
A portion of amino acids 50-100 of human HSP27 was used as the immunogen for the antibody.	
Product Application Details	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockout Validated	
Western Blot 2 - 3 ug/mL, Immunohistochemistry, Immunohistochemistry-Paraffin 10 ug/mL, Knockout Validated	




Images


Knockout Validated: HSP27 Antibody [NBP2-24533] - Lysates of HeLa human cervical epithelial carcinoma parental cell line and HSP27 knockout (KO) HeLa cell line. PVDF membrane was probed with 2 ug/mL of Rabbit Anti-Human HSP27 Polyclonal Antibody (Catalog # NBP2-24533) followed by HRP-conjugated Anti-Rabbit IgG Secondary Antibody (catalog number HAF008). Specific band was detected for HSP27 at approximately 27 kDa (as indicated) in the parental HeLa cell line, but is not detectable in the knockout HeLa cell line. This experiment was conducted under reducing conditions.



Western Blot: HSP27 Antibody [NBP2-24533] - Analysis of HSP27 in human skeletal muscle lysate using 1) preimmune sera at 1:5000 and 2) peptide affinity purified HSP27 antibody at 2.0 ug/mL. Goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.



Immunohistochemistry-Paraffin: HSP27 Antibody [NBP2-24533] - FFPE human small intestine probed with HSP27 antibody at 10 ug/mL. Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM sodium citrate buffer, pH 6.0 for 10-20 min followed by cooling at RT for 20 min.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-24533

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-75477PEP HSP27 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24533

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

