Product Datasheet

14-3-3 zeta Antibody NBP2-24593

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-24593

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-24593



NBP2-24593


14-3-3 zeta Antibody

0.1 mg	
0.5 mg/ml	
Store at -20C. Avoid freeze-thaw cycles.	
Polyclonal	
0.05% Sodium Azide	
IgG	
Protein A purified	
0.2 ml PBS and 0.05% BSA	
Product Description	
Rabbit	
7534	
YWHAZ	
Human, Mouse, Rat	
The immunogen shows 100% sequence identity in human, cattle, rat, mouse, chimpanzee, rhesus monkey, opossum, pig, chicken and dog, and 94% in frog.	
A portion of amino acids 200-245 of human 14-3-3 zeta was used as the immunogen for the antibody.	
Product Application Details	
Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin	
Western Blot 1-3 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 10 ug/ml	




Images

Western Blot: 14-3-3 zeta Antibody [NBP2-24593] - analysis of 14-3-3 zeta in human brain lysate in the 1) absence, 2) presence of immunizing peptide, 3) mouse brain lysate and 4) rat brain lysate in the absence of immunizing peptide using this antibody. I goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.



Immunohistochemistry-Paraffin: 14-3-3 zeta Antibody [NBP2-24593] -Formalin-fixed, paraffin-embedded human spleen stained with 14-3-3 zeta antibody at 10 ug/ml. Staining of formalin-fixed tissues is enhanced by boiling tissue sections in 10 mM sodium citrate buffer, pH 6.0 for 10-20 min followed by cooling at RT for 20 min.



Publications

Fehilly J, Carey O, O Leary E et al. Condensate formation of the human RNA-binding protein SMAUG1 is controlled by its intrinsically disordered regions and interactions with 14-3-3 proteins bioRxiv 2023-02-10 (WB, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-24593

210-TA-005	TNF-alpha [Unconjugated]
NBP2-24891	Rabbit IgG Isotype Control
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24593

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

