Product Datasheet

TRAM/TICAM2 Antibody NBP2-24638

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-24638

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-24638



NBP2-24638


TRAM/TICAM2 Antibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	0.2 ml PBS and 0.05% BSA
Product Description	
Host	Rabbit
Gene ID	353376
Gene Symbol	TICAM2
Species	Human, Primate
Immunogen	Within the range of amino acids 87-124 of human TRAM (TICAM2) protein were used as the immunogen.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Western Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-

Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin
	Western Blot 0.5-2 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 5 ug/ml




Images

Western Blot: TRAM/TICAM2 Antibody [NBP2-24638] - Lysate from human lung in the 1) absence, 2) presence of immunizing peptide, 3) mouse lung and 4) rat lung probed with TRAM antibody at 1 ug/ml. Goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.



Immunohistochemistry-Paraffin: TRAM/TICAM2 Antibody [NBP2-24638] - Staining of human brain tissue probed with an isotype control antibody (top left) and TRAM antibody (bottom left, right) at 5 ug/ml.



Publications

Song X, Aw JTM, Ma F Et al. DNA repair inhibition leads to active export of repetitive sequences to the cytoplasm triggering an inflammatory response The Journal of neuroscience : the official journal of the Society for Neuroscience 2021-09-28 [PMID: 34593604]



Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-24638

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-78901-50ug Recombinant Human TRAM/TICAM2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24638

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

