Product Datasheet

TRAM/TICAM2 Antibody NBP2-24686

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-24686

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-24686



NBP2-24686

TRAM/TICAM2 Antibody


| TRAM/ HOAMZ Antibody | |
|-----------------------------|--|
| Product Information | |
| Unit Size | 0.1 mg |
| Concentration | 0.5 mg/ml |
| Storage | Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles. |
| Clonality | Polyclonal |
| Preservative | 0.05% Sodium Azide |
| Isotype | IgG |
| Purity | Protein A purified |
| Buffer | PBS and 0.05% BSA |
| Product Description | |
| Description | Novus Biologicals Rabbit TRAM/TICAM2 Antibody (NBP2-24686) is a polyclonal antibody validated for use in IHC and WB. All Novus Biologicals antibodies are covered by our 100% guarantee. |
| Host | Rabbit |
| Gene ID | 353376 |
| Gene Symbol | TICAM2 |
| Species | Human, Mouse, Rat, Bovine, Opossum, Primate |
| Immunogen | A portion of amino acids 150-200 of TAG/TIRAP3b was used as the immunogen. |
| Product Application Details | |
| Applications | Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry |
| Recommended Dilutions | Western Blot 2-4 ug/ml. Immunohistochemistry. Immunohistochemistry-Paraffin |

| Product Application Details | |
|------------------------------------|---|
| Applications | Western Blot, Immunohistochemistry-Paraffin, Immunohistochemistry |
| Recommended Dilutions | Western Blot 2-4 ug/ml, Immunohistochemistry, Immunohistochemistry-Paraffin 5 ug/ml |




Images

Western Blot: TRAM/TICAM2 Antibody [NBP2-24686] - Analysis of TICAM2 in K562 cell lysate in the 1) absence and 2) presence of immunizing peptide using NBP2-24686 at 3 ug/ml.



Immunohistochemistry-Paraffin: TRAM/TICAM2 Antibody [NBP2-24686] - Analysis of TAG/TIRAP3b in formalin-fixed, paraffin-embedded human brain tissue using an isotype control (top left) and this antibody (bottom left, right) at 5 ug/ml.





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-24686

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP1-78901-50ug Recombinant Human TRAM/TICAM2 His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24686

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

