Product Datasheet

Cyclophilin B Antibody NBP2-24770

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-24770

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-24770



NBP2-24770

Cyclophilin B Antibody

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein G purified
Buffer	0.2 ml PBS and 0.05% BSA
Product Description	
Host	Rabbit
Gene ID	5479
Gene Symbol	PPIB
Species	Human, Mouse, Porcine, Bovine, Canine, Equine, Primate
Reactivity Notes	The amino acid sequence used as immunogen is 84% in Chicken.
Immunogen	The portions of amino acids range between 100-228 of human Cyclophilin B was used as the immunogen.
Product Application Details	
Applications	Western Blot, Knockout Validated
Recommended Dilutions	Western Blot 0.5-2 ug/ml, Knockout Validated



Images

Knockout Validated: Cyclophilin B Antibody [NBP2-24770] - Western blot HeLa Cyclophilin B KO shows lysates of HeLa human cervical epithelial carcinoma parental cell line and Cyclophilin B knockout (KO) HeLa cell line. PVDF membrane kDa Hela was probed with 1:1000 of Rabbit Anti-Human Cyclophilin B Polyclonal 150-Antibody (Catalog # NBP2-24770) followed by HRP-conjugated Anti-100-Rabbit IgG Secondary Antibody (Catalog #HAF008). Specific band was 75 detected for Cyclophilin B at approximately 22 kDa (as indicated) in the 50 parental HeLa cell line, but is not detectable in the knockout HeLa cell 37 line. This experiment was conducted under reducing conditions. 25 -20 -Cyclophilin B 15 10 GAPDH Western Blot: Cyclophilin B Antibody [NBP2-24770] - analysis of MW (kDa) Cyclophilin B in A) HeLa cell lysate and B) 293 cell lysate using this A B 200 antibody. 5 and 2 ug/ml, respectively. I goat anti-rabbit Ig HRP 116 97 secondary antibody and PicoTect ECL substrate solution were used for this test. 66 55 36 31 -Cyclophilin B 21 14 6





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-24770

NBC1-18424	Recombinant Human Cyclophilin B Protein
NBP2-24891	Rabbit IgG Isotype Control
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-24770

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

