

Product Datasheet

GOAT/MBOAT4 Antibody NBP2-26066

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-26066

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-26066



NBP2-26066**GOAT/MBOAT4 Antibody**

Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA

Product Description	
Description	Please note, this antibody is considered to be "Innovators Grade". Innovators Grade antibodies have been validated for limited uses and require additional characterization for most new species/applications. These antibodies are directed against antigens that have limited or no commercial antibodies available for them, or for which there are limited expression data available to us. In an effort to encourage customer feedback, Novus has made these antibodies available through our Innovators Reward program. Under this program, Novus will provide you a 50% refund on the purchased product as well as a 50% discount on a future product of equal value in exchange for your new data. Please contact us at innovators@novusbio.com for more details.
Host	Goat
Gene ID	619373
Gene Symbol	MBOAT4
Species	Human
Immunogen	Peptide with sequence C-QSPGEEGYVPDAD corresponding to internal region according to NP_001094386.1.

Product Application Details	
Applications	Western Blot, Peptide ELISA
Recommended Dilutions	Western Blot 1:100 - 1:2000, Peptide ELISA Detection limit 1:2000
Application Notes	WB: Preliminary experiments in human duodenum, Ileum and pancreas lysates gave no specific signal but low background.

Publications

Takahashi T, Ida T, Sato T et al. Production of n-octanoyl-modified ghrelin in cultured cells requires prohormone processing protease and ghrelin O-acyltransferase, as well as n-octanoic acid. J Biochem 1996-08-01 [PMID: 19628676]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Products Related to NBP2-26066

HAF017	Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
HAF109	Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)]
NB410-28088-1mg	Goat IgG Isotype Control
NBP2-58522PEP	GOAT/MBOAT4 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-26066

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications



