Product Datasheet

Fucosyltransferase 2/FUT2 Antibody NBP2-26116

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-26116

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-26116



NBP2-26116

Fucosyltransferase 2/FUT2 Antibody

1 debayittanisierase 2/1 012 Antibody	
Product Information	
Unit Size	0.1 mg
Concentration	0.5 mg/ml
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA
Product Description	
Host	Goat
Gene ID	2524
Gene Symbol	FUT2
Species	Human
Specificity/Sensitivity	Reported variants represent identical protein: NP_001091107.1, NP_000502.4
Immunogen	Peptide with sequence C-HVQQRLAKIQAMWE corresponding to internal region (near N-Terminus) according to NP_000502.4.
Product Application Details	
Applications	Western Blot, Immunohistochemistry, Immunohistochemistry-Paraffin, Peptide ELISA
Recommended Dilutions	Western Blot 1 - 3 ug/ml, Immunohistochemistry 5 ug/ml, Immunohistochemistry-Paraffin 5 ug/ml, Peptide ELISA Detection limit 1:64000
Application Notes	WB: Approx. 37 kDa band observed in human liver lysates (calculated MW of 39.0 kDa band according to NP_000502.4.



Images 250kDa Western Blot: Fucosyltransferase 2/FUT2 Antibody [NBP2-26116] -150kDa Staining of Human Liver lysate (35 ug protein in RIPA buffer). Primary 100kDa incubation was 1 hour. Detected by chemiluminescence. 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa Immunohistochemistry-Paraffin: Fucosyltransferase 2/FUT2 Antibody [NBP2-26116] - Staining of Human Placenta. Steamed antigen retrieval with citrate buffer pH 6, AP-staining.

Publications

McGovern DP, Jones MR, Taylor KD et al. Fucosyltransferase 2 (FUT2) non-secretor status is associated with Crohn's disease. Hum Mol Genet 2010-09-01 [PMID: 20570966]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-26116

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP1-80775PEP Fucosyltransferase 2/FUT2 Recombinant Protein Antigen

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-26116

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



