Product Datasheet

STCH Antibody NBP2-26194

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-26194

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-26194



NBP2-26194

STCH Antibody


Product Information		
Unit Size	0.1 mg	
Concentration	0.5 mg/ml	
Storage	Store at -20C. Avoid freeze-thaw cycles.	
Clonality	Polyclonal	
Preservative	0.02% Sodium Azide	
Isotype	IgG	
Purity	Immunogen affinity purified	
Buffer	Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA	
Draduat Decariation		

Product Description		
Description	Novus Biologicals Goat STCH Antibody (NBP2-26194) is a polyclonal antibody validated for use in WB and ELISA. Anti-STCH Antibody: Cited in 1 publication. All Novus Biologicals antibodies are covered by our 100% guarantee.	
Host	Goat	
Gene ID	6782	
Gene Symbol	HSPA13	
Species	Human	
Immunogen	Peptide with sequence C-ESVELADSNPQNT corresponding to internal region according to NP_008879.3.	

Product Application Details		
Applications	Western Blot, Peptide ELISA	
Recommended Dilutions	Western Blot 0.1 - 0.3 ug/mL, Peptide ELISA Detection limit 1:128000	
Application Notes	Western blot: Approx 60-65 kDa band observed in Human Uterus and Colon lysates (calculated MW of 51.9 kDa according to NP_008879.3)This band was successfully blocked by incubation with the immunizing peptide The protein is commonly known as a 60 or 70 kDa band heat shock protein.	

Images

Western Blot: STCH Antibody [NBP2-26194] - Staining of Human Uterus lysate (A) + peptide (B) with antibody at 0.1 ug/mL and Colon lysate (C) + peptide (D) with antibody at 0.3 ug/mL (35 ug protein in RIPA buffer). Detected by chemiluminescence.



Publications

Jinwal UK, Miyata Y, Koren J 3rd et al. Chemical manipulation of hsp70 ATPase activity regulates tau stability. J Neurosci 2009-09-30 [PMID: 19793966]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-26194

HAF017 Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

HAF109 Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish

Peroxidase)]

NB410-28088-1mg Goat IgG Isotype Control

NBP1-51041-0.1mg Recombinant Human STCH His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-26194

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications



