Product Datasheet

CEBP Beta Antibody NBP2-26206

Unit Size: 0.1 mg

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-26206

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-26206



NBP2-26206

CEBP Beta Antibody

| 0.1 mg | | |
|---|--|--|
| 0.5 mg/ml | | |
| Store at -20C. Avoid freeze-thaw cycles. | | |
| Polyclonal | | |
| 0.02% Sodium Azide | | |
| IgG | | |
| Immunogen affinity purified | | |
| Tris saline (20 mM Tris pH 7.3, 150 mM NaCl), 0.5% BSA | | |
| Product Description | | |
| Goat | | |
| 1051 | | |
| СЕВРВ | | |
| Human, Mouse | | |
| Peptide with sequence C-DHERAIDFSPYLEP corresponding to internal region according to NP_005185.2. | | |
| Product Application Details | | |
| Western Blot, Peptide ELISA | | |
| Western Blot 1 - 3 ug/ml, Peptide ELISA Detection limit 1:128000 | | |
| WB: Approx. 35 kDa band observed in NIH3T3 lysates (calculated MW of 31.5 kDa band according to mouse NP_034013.1). | | |
| | | |



Images

| inages | |
|--|--|
| Western Blot: CEBP Beta Antibody [NBP2-26206] - Staining of Human Skin (A) and Pig Lung (B) lysates (35ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence. | A B 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa |
| Western Blot: CEBP Beta Antibody [NBP2-26206] - Staining of NIH3T3 lysate (35 ug protein in RIPA buffer). Primary incubation was 1 hour. Detected by chemiluminescence. | 250kDa 150kDa 100kDa 75kDa 50kDa 37kDa 25kDa 20kDa 15kDa |

Publications

Canettieri G, Santaguida MG, Antonucci L et al. CCAAT/enhancer-binding proteins are key regulators of human type two deiodinase expression in a placenta cell line. Endocrinology 2012-08-01 [PMID: 22689263]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-26206

| HAF017 | Rabbit anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
|-------------------|--|
| HAF109 | Donkey anti-Goat IgG Secondary Antibody [HRP (Horseradish Peroxidase)] |
| NB410-28088-1mg | Goat IgG Isotype Control |
| H00001051-P01-2ug | Recombinant Human CEBP Beta GST (N-Term) Protein |

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-26206

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com



www.novusbio.com



technical@novusbio.com