Product Datasheet

HSP70/HSPA1A Antibody (W27) NBP2-26422

Unit Size: 0.25 ml

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-26422

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-26422




NBP2-26422

HSP70/HSPA1A Antibody (W27)

Unit Size0.25 mlConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C. Do not freeze.ClonalityMonoclonalCloneW27Preservative0.05% Sodium AzideIsotypeIgG2aPurityProtein A or G purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionMouseHostMouseGene ID3303Gene SymbolHSPA1ASpeciesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunofluorescence 1:10 - 1:1000, Immunohystochemistry-ParaffinRecommended DilutionsImmunohystochemistry 1:25-1:100, Immunocytochemistry/Immunofluorescence		
ConcentrationPlease see the vial label for concentration. If unlisted please contact technical services.StorageStore at 4C. Do not freeze.ClonalityMonoclonalCloneW27Preservative0.05% Sodium AzideIsotypeIgG2aPurityProtein A or G purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product Description3303HostMouseGene ID3303Gene SymbolHSPA1ASpeciesHumanReactivity NotesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofluorescence, Immunohistochemistry, ParaffinApplication NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Product Information	
services. Storage Store at 4C. Do not freeze. Clonality Monoclonal Clone W27 Preservative 0.05% Sodium Azide Isotype IgG2a Purity Protein A or G purified Buffer PBS (pH 7.4), 0.2% BSA, Tween-20 Product Description Mouse Gene ID 3303 Gene Symbol HSPA1A Species Human Reactivity Notes Human Immunogen BALB/C mice were injected with purified HSP70 protein. Product Application Details Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Paraffin 1:25-1:100 Recommended Dilutions Immunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10-0; Immunohistochemistry-Paraffin 1:25-1:100 HC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Unit Size	0.25 ml
Clonality Monoclonal Clone W27 Preservative 0.05% Sodium Azide Isotype IgG2a Purity Protein A or G purified Buffer PBS (pH 7.4), 0.2% BSA, Tween-20 Product Description Mouse Gene ID 3303 Gene Symbol HSPA1A Species Human Immunogen BALB/C mice were injected with purified HSP70 protein. Product Application Details Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunocytochemistry-Paraffin 1:25-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Concentration	•
CloneW27Preservative0.05% Sodium AzideIsotypeIgG2aPurityProtein A or G purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionMouseHostMouseGene ID3303Gene SymbolHSPA1ASpeciesHumanReactivity NotesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Storage	Store at 4C. Do not freeze.
Preservative 0.05% Sodium Azide Isotype IgG2a Purity Protein A or G purified Buffer PBS (pH 7.4), 0.2% BSA, Tween-20 Product Description Mouse Host Mouse Gene ID 3303 Gene Symbol HSPA1A Species Human Immunogen BALB/C mice were injected with purified HSP70 protein. Product Application Details Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Immunohistochemistry 1:25-1:100, Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Clonality	Monoclonal
Isotype IgG2a Purity Protein A or G purified Buffer PBS (pH 7.4), 0.2% BSA, Tween-20 Product Description Mouse Gene ID 3303 Gene Symbol HSPA1A Species Human Reactivity Notes Human Immunogen BALB/C mice were injected with purified HSP70 protein. Product Application Details Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Immunohistochemistry 1:25-1:100, Immunofluorescence Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Clone	W27
PurityProtein A or G purifiedBufferPBS (pH 7.4), 0.2% BSA, Tween-20Product DescriptionMouseHostMouseGene ID3303Gene SymbolHSPA1ASpeciesHumanReactivity NotesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ ImmunofluorescenceApplication NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Preservative	0.05% Sodium Azide
Buffer PBS (pH 7.4), 0.2% BSA, Tween-20 Product Description Mouse Host Mouse Gene ID 3303 Gene Symbol HSPA1A Species Human Reactivity Notes Human Immunogen BALB/C mice were injected with purified HSP70 protein. Product Application Details Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Paraffin Recommended Dilutions Immunobistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Isotype	IgG2a
Product Description Host Mouse Gene ID 3303 Gene Symbol HSPA1A Species Human Reactivity Notes Human Immunogen BALB/C mice were injected with purified HSP70 protein. Product Application Details Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunofluorescence Recommended Dilutions Immunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Purity	Protein A or G purified
HostMouseGene ID3303Gene SymbolHSPA1ASpeciesHumanReactivity NotesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry.ParaffinRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ ImmunofluorescenceApplication NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Buffer	PBS (pH 7.4), 0.2% BSA, Tween-20
Gene ID 3303 Gene Symbol HSPA1A Species Human Reactivity Notes Human Immunogen BALB/C mice were injected with purified HSP70 protein. Product Application Details Applications Immunohistochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Product Description	
Gene SymbolHSPA1ASpeciesHumanReactivity NotesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, ImmunofluorescenceRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ ImmunofluorescenceApplication NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Host	Mouse
SpeciesHumanReactivity NotesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry 1:25-1:100, Immunocytochemistry/ ImmunofluorescenceRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ ImmunofluorescenceApplication NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Gene ID	3303
Reactivity NotesHumanReactivity NotesHumanImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Gene Symbol	HSPA1A
ImmunogenBALB/C mice were injected with purified HSP70 protein.Product Application DetailsApplicationsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Species	Human
Product Application Details Applications Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100 Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Reactivity Notes	Human
ApplicationsImmunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-ParaffinRecommended DilutionsImmunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence 1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Immunogen	BALB/C mice were injected with purified HSP70 protein.
Immunohistochemistry-Paraffin Recommended Dilutions Immunohistochemistry 1:25-1:100, Immunocytochemistry/ Immunofluorescence Application Notes IHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Product Application Details	
1:10 - 1:1000, Immunohistochemistry-Paraffin 1:25-1:100Application NotesIHC-P: recommended pretreatment of citrate buffer, pH 6.0. Recommended	Applications	
	Recommended Dilutions	
	Application Notes	

Images

Immunohistochemistry-Paraffin: HSP70/HSPA1A Antibody (W27) [NBP2 -26422] - Formalin fixed paraffin embedded human breast carcinoma stained with HSP70/HSPA1A antibody (NBP2-26422).







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-26422

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-96778	Mouse IgG2a Isotype Control (M2A)
NBP1-77455PEP	HSP70/HSPA1A Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-26422

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

