Product Datasheet

RBCK1 Antibody - BSA Free NBP2-27105

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.



Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-27105

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-27105



NBP2-27105

RBCK1 Antibody - BSA Free

Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Rabbit
Gene ID	10616
Gene Symbol	RBCK1
Species	Human, Mouse, Primate
Reactivity Notes	Orangutan, Chimpanzee (100%), New world monkey (89%), Bovine, Guinea Pig, Mole Rat (83%), Canine, Elephant, Rabbit (78%), Panda, Oppossum (67%), Rat (61%).
Immunogen	A portion of amino acids 150-200 from human RBCk1 was used as the immunogen for this antibody.
Product Application Details	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence
Recommended Dilutions	Western Blot 2-4ug/ml, Immunocytochemistry/ Immunofluorescence 5-10 ug/ml





Images

Western Blot: RBCK1 Antibody [NBP2-27105] - Analysis of RBCK1 using (kD a) RBCK1 antibody. A549 cell lysate in the 1) pre immune sera and 2) abesence of immunizing peptide and 3) 3T3 cell lysate probed with 2 ug/ml of RBCK1 antibody. Goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.

Immunocytochemistry/Immunofluorescence: RBCK1 Antibody [NBP2-27105] - SK-MEL-28 cells were fixed for 10 minutes using 10% formalin and then permeabilized for 5 minutes using 1X PBS + 0.05% Triton-

4C and detected with an anti-rabbit Dylight 488 (Green) at a 1:500





Copyright © 2019 Novus Biologicals

Publications

using a 40X objective.

Damgaard R, Walker J, Marco-Csanova P The Deubiquitinase OTULIN Is an Essential Negative Regulator of Inflammation and Autoimmunity Cell, 2016-08-11;0(0):. 2016-08-11 [PMID: 27523608]





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-27105

HAF008	Goat anti-Rabbit IgG Secondary Antibody [HRP]
NB7160	Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]
NBP2-24891	Rabbit IgG Isotype Control
H00010616-P01-10ug	Recombinant Human RBCK1 GST (N-Term) Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27105

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

