# **Product Datasheet**

# Sirtuin 1/SIRT1 Antibody - BSA Free NBP2-27205

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Reviews: 2 Publications: 11

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-27205

Updated 4/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-27205



## NBP2-27205

Sirtuin 1/SIRT1 Antibody - BSA Free


Sirtuin 1/SIRT1 Antibody - BSA Free	
Product Information	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.05% Sodium Azide
Isotype	IgG
Purity	Protein A purified
Buffer	PBS
Product Description	
Host	Rabbit
Gene ID	23411
Gene Symbol	SIRT1
Species	Human, Mouse, Porcine, Amphibian, Bovine, Canine, Chicken, Chinese Hamster, Equine, Feline, Hamster, Primate, Rabbit
Reactivity Notes	The amino acid sequence used as immunogen for this antibody is 100% homologous in Frog, and White-cheeked Gibbon, and 89% homologous in Zebrafish. Use in Hamster reported in scientific literature (PMID:24585438).
Immunogen	A portion of amino acids 400-450 from human SIRT1 was used as the immunogen for this antibody.
Product Application Details	
Applications	Western Blot, Simple Western
Recommended Dilutions	Western Blot 2-4ug/ml, Simple Western 1:100
Application Notes	In Simple Western only 10 - 15 uL of the recommended dilution is used per data point.  See <u>Simple Western Antibody Database</u> for Simple Western validation: Tested in NIH-3T3 lysate 0.5 mg/mL, separated by Size, antibody dilution of 1:50,

apparent MW was 94 kDa.



#### **Images**

Western Blot: Sirtuin 1/SIRT1 Antibody [NBP2-27205] - Analysis of SIRT1 using SIRT1 antibody. HeLa lysate probed with 1) prebleed, 2) SIRT1 antibody and 3) mouse NIH 3T3 lysate probed with SIRT1 antibody at2 ug/ml. I goat anti-rabbit Ig HRP secondary antibody and PicoTect ECL substrate solution were used for this test.



Simple Western: Sirtuin 1/SIRT1 Antibody [NBP2-27205] - Simple Western lane view shows a specific band for Sirtuin 1/SIRT1 in 0.5 mg/ml of NIH-3T3 lysate. This experiment was performed under reducing conditions using the 12-230 kDa separation system.



#### **Publications**

Jiao H, Fan Y, Gong A et al. Xiaoyaosan ameliorates CUMS-induced depressive-like and anorexia behaviors in mice via necroptosis related cellular senescence in hypothalamus Journal of ethnopharmacology 2023-07-24 [PMID: 37495029]

Gao N, Yang Y, Liu S et al. Gut-Derived Metabolites from Dietary Tryptophan Supplementation Quench Intestinal Inflammation through the AMPK-SIRT1-Autophagy Pathway Journal of agricultural and food chemistry 2022-12-28 [PMID: 36521060]

Li Y, Li Y, Xu S et al. N-Acylethanolamine acid amidase (NAAA) exacerbates psoriasis inflammation by enhancing dendritic cell (DCs) maturation Pharmacological research 2022-10-13 [PMID: 36244543] (WB)

Wang C, Yang Y, Gao N et al. L-Threonine upregulates beta-defensins expression by activating NF-kappa B signaling pathway and suppressing SIRT1 expression in porcine intestinal epithelial cells Food & Function 2021-04-24 [PMID: 34047325]

Zhang H, Chen Y, Li Y, Wang T Protective Effect of Polydatin on Jejunal Mucosal Integrity, Redox Status, Inflammatory Response, and Mitochondrial Function in Intrauterine Growth-Retarded Weanling Piglets Oxid Med Cell Longev 2020-10-10 [PMID: 33101591] (WB)

Sun Y, Zhu S, Chen J et al. Sirt1 Mediated High-Glucose-Induced A beta Deposition and Cognitive Impairment through Activation of the TLR9/p53 Pathway Research Square 2020-07-08 (WB, Mouse)

Podgorski II, Pinteric M, Marcinko D et al. Combination of sirtuin 3 and hyperoxia diminishes tumorigenic properties of MDA-MB-231 cells Life Sci. 2020-05-16 [PMID: 32428596] (WB, Human)

Zhang H, Chen Y, Chen Y et al. Comparison of the effects of resveratrol and its derivative pterostilbene on hepatic oxidative stress and mitochondrial dysfunction in piglets challenged with diquat Food Funct 2020-05-01 [PMID: 32352466]

Ascenzi, F;Barberi, L;Dobrowolny, G;Villa Nova Bacurau, A;Nicoletti, C;Rizzuto, E;Rosenthal, N;Scicchitano, BM;Musaro, A; Effects of IGF-1 isoforms on muscle growth and sarcopenia Aging Cell 2019-04-05 [PMID: 30953403] (WB, Mouse)

Zhang H, Li Y, Su W et al. Resveratrol attenuates mitochondrial dysfunction in the liver of intrauterine growth retarded suckling piglets by improving mitochondrial biogenesis and redox status. Mol Nutr Food Res. 2016-12-13 [PMID: 27958670] (Porcine)

Romain C, Bresciani L, Gaillet S et al. Moderate chronic administration of Vineatrol-enriched red wines improves metabolic, oxidative, and inflammatory markers in hamsters fed a high-fat diet. Mol Nutr Food Res. 2014-02-28 [PMID: 24585438] (WB, Hamster)

Details:

Liver, Fig 1A.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### **Products Related to NBP2-27205**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

NBP2-56849PEP Sirtuin 1/SIRT1 Recombinant Protein Antigen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27205

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

