# **Product Datasheet**

# TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide and BSA Free NBP2-27402

Unit Size: 0.1 mg

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

**Publications: 4** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-27402

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-27402



#### NBP2-27402

# TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide and BSA Free


<b>Product Information</b>	
Unit Size	0.1 mg
Concentration	1.0 mg/ml
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Monoclonal
Clone	12A380
Preservative	No Preservative
Isotype	IgG1 Kappa
Purity	Protein G purified
Buffer	PBS

Product Description	
Description	Novus Biologicals Mouse TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide and BSA Free (NB100-56748) is a monoclonal antibody validated for use in IHC, WB and Flow. Anti-TRANCE/TNFSF11/RANK L Antibody: Cited in 4 publications. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Mouse
Gene ID	8600
Gene Symbol	TNFSF11
Species	Human, Mouse
Immunogen	A bacterially expressed fusion protein containing amino acid residues 1-317 of mouse TRANCE was used as immunogen.

<b>Product Application Details</b>	
Applications	Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Flow (Cell Surface), Immunohistochemistry, Immunohistochemistry-Frozen, CyTOF-ready
Recommended Dilutions	Western Blot 1-5ug/ml, Flow Cytometry 1ul/1 million cells, Immunohistochemistry, Immunohistochemistry-Paraffin reported in scientific literature (PMID 18705798), Immunohistochemistry-Frozen 1:10-1:2000, Flow (Cell Surface), CyTOF-ready


# **Images**

Flow Cytometry: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - Analysis using the Alexa Fluor (R) 488 conjugate. Staining of RANKL in untreated mouse splenocytes (green) and 72 hour ConA-stimulated mouse splenocytes (red) using this antibody. 1 ug of RANKL antibody was used for this assay.






Western Blot: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - analysis of recombinant RANKL (partial) probed with RANKL antibody at 1 ug/ml.




Immunohistochemistry: TRANCE/TNFSF11/RANK L Antibody (12A380) - 9 Azide Free [NBP2-27402] - Analysis of FFPE human tonsil using TRANCE (12A380) antibody at 1:50 on a Bond Rx autostainer (Leica Biosystems). The assay involved 20 minutes of heat induced antigen retrieval (HIER) using 10mM sodium citrate buffer (pH 6.0) and endogenous peroxidase quenching with peroxide block. The sections were incubated with primary antibody for 30 minutes and Bond Polymer Refine Detection (Leica Biosystems) with DAB was used for signal development followed by counterstaining with hematoxylin. Whole slide scanning and capturing of representative images was performed using Aperio AT2 (Leica Biosystems). Cytoplasmic staining was observed. Staining was performed by Histowiz. Image using the standard format of this product.

Flow Cytometry: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - Analysis in RAW cells using 2 ug of PE conjugated antibody. Shaded histogram represents cells without antibody; green represents isotype control antibody; purple represents antibody.



Flow Cytometry: TRANCE/TNFSF11/RANK L Antibody (12A380) - Azide Free [NBP2-27402] - Analysis using the Alexa Fluor (R) 647 conjugate. Staining of RANKL in untreated mouse splenocytes (green) and 72 hour ConA-stimulated mouse splenocytes (red) using this antibody. 1 ug of RANKL antibody was used for this assay.



#### **Publications**

Kragstrup Tue Wenzel, Greisen Stinne Ravn, Nielsen Morten Aagaard et al. The interleukin-20 receptor axis in early rheumatoid arthritis: novel links between disease-associated autoantibodies and radiographic progression. Arthritis Research & Therapy 2016-03-11 [PMID: 26968800] (FLOW, Human)

#### Details:

This citation used the Azide Free version of this antibody.

Yoneda T, Ishimaru N, Arakaki R et al. Estrogen deficiency accelerates murine autoimmune arthritis associated with receptor activator of nuclear factor-kappa B ligand-mediated osteoclastogenesis. Endocrinology. 2004-05-01 [PMID: 14726437] (IHC-Fr, Flow-CS)

#### Details:

Flow Cytometry-cell surface staining: Figure 4A; (Immunohistochemistry-frozen sections: Figure 4E) for IMG-185A.

Walker CG, Ito Y, Dangaria S et al. RANKL, osteopontin, and osteoclast homeostasis in a hyperocclusion mouse model. Eur J Oral Sci. 2008-08-01 [PMID: 18705798] (IHC-P, Human)

#### Details:

Trance/RANkL/OPGL/ODF (IMG-185A). IHC (paraffin): Swiss Webster mouse mandible tissue, Fig 4.

Shetty R, Pepin A, Charest A et al. Expression of bone-regulatory proteins in human valve allografts. Heart. 2006-09-01 [PMID: 16449517] (IHC-Fr)





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-27402**

NBL1-17162 TRANCE/TNFSF11/RANK L Overexpression Lysate

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27402

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

