# **Product Datasheet**

# Human Breast Tissue Lysate (Adult Tumor) NBP2-27996

Unit Size: 0.1 mg

Store at -20C short term. Aliquot and store at -70C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-27996

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-27996



## NBP2-27996

Human Breast Tissue Lysate (Adult Tumor)

Product Information	
Unit Size	0.1 mg
Concentration	1 mg/ml
Storage	Store at -20C short term. Aliquot and store at -70C long term. Avoid freeze-thaw cycles.
<b>Product Description</b>	
Description	The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides.
Species	Human
Specificity/Sensitivity	Sex:Female Age :41 Diagnosis:Solid-medullar adenocarcinoma Grade:3 Stage:II TNM:T2N1M0 Clinical Tissue Human Breast Tumor Tissue Lysate, Soluble protein fraction
Preparation Method	Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. The pellet was further extracted with a second buffer to obtain the less soluble protein fraction. The lysate solution may appear turbid at cold temperatures due to insolubility of buffer components. The solution should clear upon warming to room temperature.
Notes	The vial is provided with a 10% overfill. Maximum recovery can be obtained by centrifuging the vial briefly to collect any solution on the cap and tube sides.
Lysate Type	Tissue
Lysate Tissue	Breast
Lysate Tissue Condition	Tumor
Lysate Life Stage	Adult
<b>Product Application Details</b>	
Application Notes	These lysates are proteomic discovery tools Researchers should validate and

<b>Product Application Details</b>	
Application Notes	These lysates are proteomic discovery tools.Researchers should validate and optimize for individual use. Potential applications MAY include WB, immunoprecipitation, protein-protein interactions, ligand binding, ELISA. Note: For use in 1D and 2D gel electrophoresis, the addition of a denaturing gel loading buffer with reducing agents may be required.



mages		
luman Breast Tissue Lysate (Adult Tumor) [NBP2-27996]	Location: Right breast	
	Gross findings: Tumor size 3 x 4 cm., ill demarcated.	
	Cut sedion firm and gray/white	
	Histologic pattern: Cell distribution: 4- Structure / Pattern: 4- Etheraning: Bearing: Mosaic Binoring: Cytic despendation: Cytic despendation: Custeficade Bileading Alexaler formation: Myroid change: Indian file: Psammorna body: -	
	Cellular differentiation: Squamous: +/- Adenomatous: 4/- Sancomatous: 6/- Glandular cell + Round cell Spinder - Cells stathflation: 5- Spinde cell - Spinde - Spinde - Spinde - Spinde - Spinde - Intracellular visuale: 1 Lejonipolast - Rhadomyoblast - Rhadomyoblas	** 1
	Muclear applies: Nuclear Appearance: 0   III   III   Anisomucleasis: X   X   Hyperbramatisment: X   Nuclear gramment: X   Nuclear gramment: X   Milliote activity: Nuclear gramment: X   Nuclear gramm	
Human Breast Tissue Lysate (Adult Tumor) [NBP2-27996]		

#### **Procedures**

#### **Product Handling Protocol (NBP2-27996)**

Product Handling Protocol (NBP2-27996):

Lysate Preparation: Tissue specimens are homogenized in modified RIPA buffer to obtain the soluble proteins, and centrifuged to clarify. The pellet was further extracted with a second buffer to obtain the less soluble protein fraction. The lysate solution may appear turbid at cold temperatures due to insolubility of buffer components. The solution should clear upon warming to room temperature.

Extraction 1: PBS, pH 7.4 1 ug/ml Aprotinin 1 mM NaF

Modified RIPA Buffer: 1 mM EDTA 1 ug/ml Pepstatin-A 0.1% SDS

0.25% Na deoxycholate 1 ug/ml Leupeptin 1 mM PMSF

1 mM Na3VO4

Extraction 2: PBS, pH 7.4, 5.0 M Urea, 2.0 M Thiourea, 50mM DTT, 0.1% SDS





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### **Products Related to NBP2-27996**

NBP2-30212

Human Breast Tissue MicroArray (Cancer)

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Lysates are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-27996

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

