

Product Datasheet

pCLXSN Retrovirus Expression Vector

NBP2-29500

Unit Size: 10 ug

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 9

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:
www.novusbio.com/NBP2-29500

Updated 10/23/2024 v.20.1

Earn rewards for product
reviews and publications.

Submit a publication at www.novusbio.com/publications

Submit a review at www.novusbio.com/reviews/destination/NBP2-29500



Publications

Bill HM, Knudsen B, Moores SL et al. Epidermal growth factor receptor-dependent regulation of integrin-mediated signaling and cell cycle entry in epithelial cells. *Mol Cell Biol*. 2004-10-01 [PMID: 15367678]

Kudoh A, Fujita M, Kiyono T et al. Reactivation of lytic replication from B cells latently infected with Epstein-Barr virus occurs with high S-phase cyclin-dependent kinase activity while inhibiting cellular DNA replication. *J Virol*. 2003-01-01 [PMID: 12502801]

van Deventer HW, Serody JS, McKinnon KP et al. Transfection of macrophage inflammatory protein 1 alpha into B16 F10 melanoma cells inhibits growth of pulmonary metastases but not subcutaneous tumors. *J Immunol*. 2002-08-01 [PMID: 12133994]

Xu C, Xu W, Palmer AE et al. BI-1 regulates endoplasmic reticulum Ca²⁺ homeostasis downstream of Bcl-2 family proteins. *J Biol Chem*. 2008-04-25 [PMID: 18299329]

Zhang Y, Bliska JB. Role of Toll-like receptor signaling in the apoptotic response of macrophages to *Yersinia* infection. *Infect Immun*. 2003-03-01 [PMID: 12595470]

Boccaccio C, Ando' M, Comoglio PM. A differentiation switch for genetically modified hepatocytes. *FASEB J*. 2002-01-01 [PMID: 11709498]

Ogawa D, Nomiyama T, Nakamachi T et al. Activation of peroxisome proliferator-activated receptor gamma suppresses telomerase activity in vascular smooth muscle cells. *Circ Res*. 2006-04-14 [PMID: 16556873]

Hashimoto N, Kiyono T, Wada MR et al. Immortalization of human myogenic progenitor cell clone retaining multipotentiality. *Biochem Biophys Res Commun*. 2006-10-06 [PMID: 16919240]

Zhang W, Hirschler-Laszkiewicz I, Tong Q et al. TRPM2 is an ion channel that modulates hematopoietic cell death through activation of caspases and PARP cleavage. *Am J Physiol Cell Physiol*. 2006-04-01 [PMID: 16306129]





Novus Biologicals USA

10730 E. Briarwood Avenue
Centennial, CO 80112
USA
Phone: 303.730.1950
Toll Free: 1.888.506.6887
Fax: 303.730.1966
nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave
Toronto, ON M8Z 4E6
Canada
Phone: 905.827.6400
Toll Free: 855.668.8722
Fax: 905.827.6402
canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane
Abingdon Science Park
Abingdon, OX14 3NB, United Kingdom
Phone: (44) (0) 1235 529449
Free Phone: 0800 37 34 15
Fax: (44) (0) 1235 533420
info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com
Technical Support: nb-technical@bio-
techne.com
Orders: nb-customerservice@bio-techne.com
General: novus@novusbio.com

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Support products are guaranteed for 6 months from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-29500

Earn gift cards/discounts by submitting a publication using this product:
www.novusbio.com/publications

