# **Product Datasheet**

# NMDAR2A [p Tyr1325] Antibody - Azide Free NBP2-29535

Unit Size: 0.1 ml

Store at -20C. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-29535

Updated 9/9/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-29535



#### NBP2-29535


NMDAR2A [p Tyr1325] Antibody - Azide Free

	<u> </u>
Product Information	
Unit Size	0.1 ml
Concentration	Please see the vial label for concentration. If unlisted please contact technical services.
Storage	Store at -20C. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	No Preservative
Isotype	IgG
Purity	Antigen Affinity-purified
Buffer	10mM HEPES (pH 7.5), 0.15M NaCl, 0.1 mg/ml BSA and 50% Glycerol
Target Molecular Weight	180 kDa
Product Description	
Description	Novus Biologicals Rabbit NMDAR2A [p Tyr1325] Antibody - Azide Free (NBP2-29535) is a polyclonal antibody validated for use in WB. All Novus Biologicals antibodies are covered by our 100% guarantee.
Host	Rabbit
Gene ID	2903
Gene Symbol	GRIN2A
Species	Human, Mouse, Rat
Specificity/Sensitivity	Specific for endogenous levels of the ~180k NMDAR NR2A-subunit protein phosphorylated at Tyr1325 in Western blots. Immunolabeling is completely eliminated by treatment with lambda-phosphatase.
Immunogen	Synthetic phospho-peptide corresponding to amino acid residues surrounding Tyr1325 conjugated to KLH. Accession # Q00959
Preparation Method	Prepared from rabbit serum by affinity purification via sequential chromatography on phospho- and dephosphopeptide affinity columns.
Product Application Details	
Applications	Western Blot

Applications	Western Blot
<b>Recommended Dilutions</b>	Western Blot 1:1000

#### **Images**

Western Blot: NMDAR2A [p Tyr1325] Antibody [NBP2-29535] - Western blot of rat hippocampal lysate showing specific immunolabeling of the ~180k NR2A subunit of the NMDAR phosphorylated at Tyr1325 (Control). The phosphospecificity of this labeling is shown in the second lane where immunoreactivity is blocked by preadsorption with the phospho-peptide (Peptide) used as antigen but not by the dephosphopeptide (not shown).



Western blot of rat hippocampal lysate showing specific immunolabeling of the ~180k NR2A subunit of the NMDAR phosphorylated at Tyr1325 (Control). In the second lane, immunoreactivity is blocked by preadsorption with the phospho-peptide (Peptide) used as antigen.





## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-29535**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

DBD00 BDNF [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-29535

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

