## **Product Datasheet**

# Human Kidney Tissue MicroArray (Cancer) NBP2-30220

Unit Size: 1 Slide

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

**Publications: 4** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-30220

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-30220



## NBP2-30220

**Product Information** 

Human Kidney Tissue MicroArray (Cancer)

Product Information	
Unit Size	1 Slide
Concentration	Concentration is not relevant for this product. Please see the protocols for proper use of this product.
Storage	Store at 4C. Do not freeze.
Product Description	
Description	Please see online datasheet for well details: <a href="https://www.novusbio.com/NBP2-30220">www.novusbio.com/NBP2-30220</a>
Species	Human
Lysate Type	Tissue
Lysate Tissue Condition	Cancer
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry, Immunohistochemistry-Paraffin

Complete product information can be found online at www.novusbio.com/NBP2-30220. Please contact technical service with any questions regarding the use of this product.

## **Publications**

Gonzalez-Rodriguez P, Engskog-Vlachos P, Zhang H et al. SETD2 mutation in renal clear cell carcinoma suppress autophagy via regulation of ATG12 Cell Death Dis 2020-01-27 [PMID: 31988284] (IHC-P, Human)

Li X, Jia Z, Shen Y et al. Coordinate suppression of Sdpr and FhI1 expression in tumors of the breast, kidney, and prostate. Cancer Sci. 2008-07-01 [PMID: 18422756] (IHC-P)

#### Details:

IHC (paraffin), Fig 1 and Table 1: 1. IMH-303 (Prostate cancer) 2. IMH-313 (Kidney, cancer-normal adjacent tissues) 3. IMH-371 [Breast: cancer-normal adjacent (60 samples)].

Mestas J, Burdick MD, Reckamp K et al. The role of CXCR2/CXCR2 ligand biological axis in renal cell carcinoma. J Immunol. 2005-10-15 [PMID: 16210641] (IHC-P)

#### Details:

IHC (paraffin), Fig 1 B, C.

Xu L, Tong R, Cochran DM et al. Blocking platelet-derived growth factor-D/platelet-derived growth factor receptor beta signaling inhibits human renal cell carcinoma progression in an orthotopic mouse model. Cancer Res. 2005-07-01 [PMID: 15994946] (IHC-P)

## Details:

IHC (paraffin), Fig. 1.





## **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112 USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

## **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-30220**

NB820-59661

Mouse Kidney Whole Tissue Lysate (Adult Whole Normal)

### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Tissue Micro Arrays are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-30220

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

