# **Product Datasheet**

# Human Thyroid Tissue MicroArray (Cancer) NBP2-30317

Unit Size: 1 Slide

Store at 4C. Do not freeze.

www.novusbio.com

technical@novusbio.com

**Publications: 4** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-30317

Updated 10/23/2024 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-30317



#### NBP2-30317

Human Thyroid Tissue MicroArray (Cancer)

Product Information	
Unit Size	1 Slide
Concentration	Concentration is not relevant for this product. Please see the protocols for proper use of this product.
Storage	Store at 4C. Do not freeze.
Product Description	
Description	Please see online datasheet for well details: <a href="http://www.novusbio.com/NBP2-30317">www.novusbio.com/NBP2-30317</a>
Species	Human
Lysate Type	Tissue
Lysate Tissue Condition	Cancer
Product Application Details	
Applications	Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry, Immunohistochemistry-Paraffin

Complete product information can be found online at www.novusbio.com/NBP2-30317. Please contact technical service with any questions regarding the use of this product.

#### **Publications**

Huang Y, Prasad M, Lemon WJ et al. Gene expression in papillary thyroid carcinoma reveals highly consistent profiles. Proc Natl Acad Sci U S A. 2001-12-18 [PMID: 11752453] (IHC-P)

Details:

Refer to figure 5a-c, Table 1.

Aldred MA, Morrison C, Gimm O et al. Peroxisome proliferator-activated receptor gamma is frequently downregulated in a diversity of sporadic nonmedullary thyroid carcinomas. Oncogene. 2003-05-29 [PMID: 12776192] (IHC-P)

Details: IHC (paraffin), Fig 2.

Tseleni-Balafouta S, Gakiopoulou H, Fanourakis G et al. Fibrillin expression and localization in various types of carcinomas of the thyroid gland. Mod Pathol. 2006-05-01 [PMID: 16528372] (IHC-P)

#### Details: IHC (paraffin), Figs. 2,3.

Aldred MA, Ginn-Pease ME, Morrison CD et al. Caveolin-1 and caveolin-2,together with three bone morphogenetic protein-related genes, may encode novel tumor suppressors down-regulated in sporadic follicular thyroid carcinogenesis. Cancer Res. 2003-06-01 [PMID: 12782592] (IHC-P)

Details: IHC (paraffin), Fig 2.







## Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

## **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-30317

NBP2-77650

Thyroid Tissue Slides (Tumor)- Frozen

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Tissue Micro Arrays are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-30317

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

