# **Product Datasheet**

# Zfp219 Antibody - BSA Free NBP2-31626

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-31626

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-31626



# NBP2-31626


Zfp219 Antibody - BSA Free

| Zipz 19 Antibody - BSA Free   |  |
|---|--|
| Product Information   |  |
| 0.1 ml  |  |
| Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.  |  |
| Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.  |  |
| Polyclonal  |  |
| 0.02% Sodium Azide  |  |
| IgG   |  |
| Immunogen affinity purified   |  |
| PBS (pH 7.2) and 40% Glycerol   |  |
| Product Description   |  |
| Rabbit  |  |
| 51222   |  |
| ZNF219  |  |
| Human   |  |
| Immunogen displays the following percentage of sequence identity for non-tested species: Mouse (88%), Rat (89%)   |  |
| This antibody was developed against a recombinant protein corresponding to amino acids:  EAEEETWARGRSLGSLASLHPRPGEGPGHSASAAGAQARSTATQEENGLLVG GTRPEGGRGATGKDCPFCGKSFRSAHHLK |  |
| Product Application Details   |  |
| Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  |  |
| Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/<br>Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500                                    |  |
| For IHC-Paraffin, HIER pH 6 retrieval is recommended.<br>Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use PFA/Triton X-100.                            |  |
|   |  |




# **Images**

Immunocytochemistry/Immunofluorescence: Zfp219 Antibody [NBP2-31626] - Immunofluorescent staining of human cell line HeLa shows localization to nucleoplasm.



Immunohistochemistry-Paraffin: Zfp219 Antibody [NBP2-31626] - Staining of human skin shows cytoplasmic positivity in epidermal cells.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## **Products Related to NBP2-31626**

NBP2-31626PEP Zfp219 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-31626

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

