# **Product Datasheet**

# SNX8 Antibody - BSA Free NBP2-31672

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-31672

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-31672



# NBP2-31672


SNX8 Antibody - BSA Free

Product Information   Unit Size	SNX8 Antibody - BSA Free	
Concentration  Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.  Storage  Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.  Clonality  Polyclonal  Preservative  10.02% Sodium Azide  Isotype  IgG  Purity  Immunogen affinity purified  Buffer  PBS (pH 7.2) and 40% Glycerol  Product Description  Host  Gene ID  29886  Gene Symbol  SNX8  Species  Human  Immunogen  This antibody was developed against a recombinant protein corresponding to amino acids:  EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIQTM ELRNYFSLYCLHGETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL SCLFAGPHS  Product Application Details  Applications  Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin  Recommended Dilutions  Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunoptiochemistry/ Paraffin 1:200 - 1:500  Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Paraffin 1:200 - 1:500  Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Information	
Storage Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.  Clonality Polyclonal  Preservative 0.02% Sodium Azide  Isotype IgG  Purity Immunogen affinity purified  Buffer PBS (pH 7.2) and 40% Glycerol  Product Description  Host Rabbit  Gene ID 29886  Gene Symbol SNX8  Species Human  Immunogen This antibody was developed against a recombinant protein corresponding to amino acids:  EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIOTM ELRNYFSLYCLHGETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL SCLFAGPHS  Product Application Details  Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin  Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Paraffin 1:200 - 1:500  Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Paraffin 1:200 - 1:500  Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Unit Size	0.1 ml
cycles.  Clonality Polyclonal  Preservative 0.02% Sodium Azide  Isotype IgG  Purity Immunogen affinity purified  Buffer PBS (pH 7.2) and 40% Glycerol  Product Description  Host Rabbit  Gene ID 29886  Gene Symbol SNX8  Species Human  Immunogen This antibody was developed against a recombinant protein corresponding to amino acids:  EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIQTM ELRNYFSLYCLHQETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL SCLFAGPHS  Product Application Details  Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500  Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Concentration	
Preservative  Isotype  IgG  Purity  Immunogen affinity purified  Buffer  PBS (pH 7.2) and 40% Glycerol  Product Description  Host  Rabbit  Gene ID  29886  Gene Symbol  SNX8  Species  Human  Immunogen  This antibody was developed against a recombinant protein corresponding to amino acids:  EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIQTM ELRNYFSLYCLHQETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL SCLFAGPHS  Product Application Details  Applications  Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Paraffin 1:200 - 1:500  Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Storage	
Isotype	Clonality	Polyclonal
Purity Immunogen affinity purified  Buffer PBS (pH 7.2) and 40% Glycerol  Product Description  Host Rabbit  Gene ID 29886  Gene Symbol SNX8  Species Human  Immunogen This antibody was developed against a recombinant protein corresponding to amino acids:	Preservative	0.02% Sodium Azide
Buffer PBS (pH 7.2) and 40% Glycerol  Product Description  Host Rabbit  Gene ID 29886  Gene Symbol SNX8  Species Human  Immunogen This antibody was developed against a recombinant protein corresponding to amino acids:	Isotype	IgG
Product Description  Host Rabbit  Gene ID 29886  Gene Symbol SNX8  Species Human  Immunogen This antibody was developed against a recombinant protein corresponding to amino acids:	Purity	Immunogen affinity purified
Host Rabbit Gene ID 29886 Gene Symbol SNX8 Species Human Immunogen This antibody was developed against a recombinant protein corresponding to amino acids:	Buffer	PBS (pH 7.2) and 40% Glycerol
Gene Symbol SNX8  Species Human  This antibody was developed against a recombinant protein corresponding to amino acids: EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIQTM ELRNYFSLYCLHQETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL SCLFAGPHS  Product Application Details  Applications Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  Recommended Dilutions Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/Paraffin 1:200 - 1:500  Application Notes For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Description	
Gene Symbol  SNX8  Species  Human  This antibody was developed against a recombinant protein corresponding to amino acids: EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIQTM ELRNYFSLYCLHQETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL SCLFAGPHS  Product Application Details  Applications  Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  Recommended Dilutions  Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500  Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Host	Rabbit
Species	Gene ID	29886
Immunogen  This antibody was developed against a recombinant protein corresponding to amino acids:  EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIQTM ELRNYFSLYCLHQETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL SCLFAGPHS  Product Application Details  Applications  Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  Recommended Dilutions  Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500  Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Gene Symbol	SNX8
amino acids:	Species	Human
Applications  Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin  Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500  Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Immunogen	amino acids: EKGVLHKHQRALHKYSLMKRQMMSATAQNREPESVEQLESRIVEQENAIQTM ELRNYFSLYCLHQETQLIHVYLPLTSHILRAFVNSQIQGHKEMSKVWNDLRPKL
Immunohistochemistry, Immunohistochemistry-Paraffin  Recommended Dilutions  Western Blot 0.04-0.4 ug/ml, Immunohistochemistry 1:200 - 1:500, Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500  Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Product Application Details	
Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml, Immunohistochemistry-Paraffin 1:200 - 1:500  Application Notes  For IHC-Paraffin, HIER pH 6 retrieval is recommended. Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Applications	
Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use	Recommended Dilutions	Immunocytochemistry/ Immunofluorescence 0.25-2 ug/ml,
	Application Notes	Immunocytochemistry/Immunofluorescence Fixation Permeabilization: Use




## **Images**


Western Blot: SNX8 Antibody [NBP2-31672] - Lane 1: Marker [kDa] 250, 130, 100, 70, 55, 35, 25, 15, 10 Lane 2: Human cell line U-2 OS



Immunocytochemistry/Immunofluorescence: SNX8 Antibody [NBP2-31672] - Immunofluorescent staining of human cell line A-431 shows localization to vesicles.



Immunohistochemistry-Paraffin: SNX8 Antibody [NBP2-31672] - Staining of human kidney shows strong cytoplasmic positivity in cells in tubules.





# Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

### **Products Related to NBP2-31672**

NBP2-31672PEP SNX8 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-31672

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

