# **Product Datasheet**

# RIPK3/RIP3 Antibody - BSA Free NBP2-32257

Unit Size: 100 ul

Store at 4C. Do not freeze.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32257

Updated 2/23/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-32257



# NBP2-32257

RIPK3/RIP3 Antibody - BSA Free


RIPK3/RIP3 Antibody - BSA Free	
Product Information	
Unit Size	100 ul
Concentration	1.0 mg/ml
Storage	Store at 4C. Do not freeze.
Clonality	Polyclonal
Preservative	0.09% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	Tris-Citrate/Phosphate (pH 7.0 - 8.0)
Target Molecular Weight	56.7 kDa
Product Description	
Host	Rabbit
Gene ID	11035
Gene Symbol	RIPK3
Species	Human
Immunogen	RIPK3/RIP3 Antibody was made to a region between residue 400 to 450 of human Receptor Interacting Protein 3 using the numbering given in entry NP_006862.2 (GeneID 11035).
Product Application Details	
Applications	Western Blot, Immunoprecipitation

<b>Product Application Details</b>	
Applications	Western Blot, Immunoprecipitation
Recommended Dilutions	Western Blot 1:1000 - 1:5000, Immunoprecipitation 2 - 10 ug/mg lysate




#### **Images**

Western Blot: RIPK3/RIP3 Antibody [NBP2-32257] - Whole cell lysate (10 ug) from HT-29, HL-60, and Jurkat cells prepared using NETN lysis buffer. Antibody: Affinity purified rabbit anti-RIP3 antibody used for WB at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 30 seconds.



Immunoprecipitation: RIPK3/RIP3 Antibody [NBP2-32257] - Whole cell lysate (1.0 mg per IP reaction; 10% of IP loaded) from HT-29 cells prepared using NETN lysis buffer. Antibodies: Affinity purified rabbit anti-RIP3 antibody used for IP at 6 ug per reaction. RIP3 was also immunoprecipitated by a second antibody against a different epitope of RIP3 (BL15906). For blotting immunoprecipitated RIP3, was used at 0.1 ug/ml. Detection: Chemiluminescence with an exposure time of 3 seconds.





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

# **Products Related to NBP2-32257**

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

H00011035-P01-25ug Recombinant Human RIPK3/RIP3 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32257

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

