Product Datasheet

MUC5AC Antibody (45M1) [DyLight 650] NBP2-32732C

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32732C

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-32732C



NBP2-32732C

MUC5AC Antibody (45M1) [DyLight 650]

services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 45M1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog, Does not react with Bovine. > cbr/>> cbr/>> Use in Mouse reported scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M4 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. the spitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is presenting intestinal metaplasia as well as in the Identification of pancreatic carcing adenocarcinoma, thus showing an expression pattern opposite to MUC2AC antibodies may also be useful for diffic identification of primary warian mucinous ovarian tumors from colon adenocarcing metaplasia an eval as in the Identification of pancreatic carcing adenocarcinoma, thus showing an expression pattern opposite to MUC2AC adenocodet metaplasia adenocarcing metaplasia pavev		
Concentration Please see the vial label for concentration. If unlisted please contact techn services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 45M1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description 4586 Gene ID 4586 Gene Symbol MUC5AC Species Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin SAC). Its epitope is located in the C+minal experimer ich part of the peptide core of muciSAC. Its epitope is obtain colorectal 	Product Information	
services. Storage Store at 4C in the dark. Clonality Monoclonal Clone 45M1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. > corright corr of gastric mucin MI (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the pepide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is prese irmary ovarian mucinous coracre but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. CAC antibodies may also be useful for differ identification of primary mucinous ovarian tumors from colon adenocarcino metastatic to the ovary. MUC5AC antibodies may also be useful for differ identification of primary mucinous ovarian tumors from colon adenocarcino metastatic to the ovary. MUC5AC antibodies may also be useful for differ identification of primary mucinous ovarian tumors from colon adenocarcino metastatic to the ovary. MUC5AC antibodies may a	Jnit Size	0.1 ml
Clonality Monoclonal Clone 45M1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog, Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin SAC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is to destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is prese primary ovarian mucinous concer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for identific identification of primary mucinous ovarian tumos trom colon adenocarcinom metastatic to the ovary. MUC5AC antibodies may also be useful for identific identification of pancreatic carcino and pre-cancerous changes vs. normal pancreas. Immunogen Mt mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Not		Please see the vial label for concentration. If unlisted please contact technical services.
Clone 45M1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is preser primary ovarian mucinous cancer but usually absent in colorectal adenocarcioma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differ identification of primary mucinous ovarian tumoris from colon adenocarcion ad apre-cancerous changes vs. normal pancreas. Immunogen M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidia Product Application Details Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), <br< th=""><th>Storage</th><th>Store at 4C in the dark.</th></br<>	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description	Clonality	Monoclonal
Isotype IgG1 Kappa Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description	Clone	45M1
Conjugate DyLight 650 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is prese primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for identifi dientification of primary mucinous ovarian tumors from colon adenocarcino metastatic to the ovary. MUC5AC antibodies may also be useful for identifi of intestinal metaplasia as well as in ormal pancreas. Immunogen M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial Product Application Details Applications Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunocytoch	Preservative	0.05% Sodium Azide
Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC).Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is preseprimary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for identificitation of primary mucinous ovarian tumors from colon adenocarcinom metastatic to the ovary. MUC5AC antibodies may also be useful for identificitied of primary mucinous ovarian tumors from colon adenocarcinom metastatic to the ovary. MUC5AC antibodies may also be useful for identific identification of pancreatic carcino and pre-cancerous changes vs. normal pancreas. Immunogen M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial Product Application Details Application Details Applic	sotype	IgG1 Kappa
Buffer 50mM Sodium Borate Product Description Mouse Host Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is preseprimary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for difficiedentification of primary mucinous ovarian tumors from colon adenocarcinor metastatic to the ovary. MUC5AC antibodies may also be useful for identificitation of pancreatic carcino and pre-cancerous changes vs. normal pancreas. Immunogen M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial Product Application Details Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunohistochemistry-Immunohistochemistry-Paraffin, CyTOF-recenter (Procure Paraffin, CyTOF-recenter Paraffin, CyTOF-recenter Paraffin, CyTOF-recenter Paraffin, CyTOF-recenterecon Paraffin, CyTOF-r	Conjugate	DyLight 650
Product Description Host Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is presere primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for identifiediation of primary mucinous ovarian tumors from colon adenocarcinom and pre-cancerous changes vs. normal pancreas. Immunogen M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidia Product Application Details Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunohistochemistry-Immunohistochemistry-Paraffin, CyTOF-recenter Procence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-recentistry	Purity	Protein A or G purified
Host Mouse Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog, Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed 	3uffer	50mM Sodium Borate
Gene ID 4586 Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is presel primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differ identification of primary mucinous ovarian tumors from colon adenocarcino metastatic to the ovary. MUC5AC antibodies may also be useful for differ identification of primary mucinous ovarian mucinous cyst belonging of Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial Product Application Details Applications Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunocytochemistry-Frozen, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-recender Scientific Scientific, CyTOF-recender Scientific Scientific, CyTOF-recender Scientific Scientific, CyTOF-recender Scientistry-Paraffin, CyTOF-recender Scientific Scientific, Cy		
Gene Symbol MUC5AC Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed 	lost	Mouse
Species Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, (Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is preserprimary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for diffice identification of primary mucinous ovarian tumors from colon adenocarcinom metastatic to the ovary. MUC5AC antibodies may also be useful for identified of intestinal metaplasia as well as in the identification of pancreatic carcino and pre-cancerous changes vs. normal pancreas. Immunogen M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial Product Application Detaills Applications Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunohistochemistry-Immunohistochemistry-Paraffin, CyTOF-recenter content of the periode concellar content of the concellar conc	Gene ID	4586
(Negative) Reactivity Notes Hedgehog. Does not react with Bovine. scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed 	Gene Symbol	MUC5AC
scientific literature (PMID:34260916) Specificity/Sensitivity This monoclonal antibody recognizes the peptide core of gastric mucin M1 (recently identified as Mucin 5AC). Its epitope is located in the C-terminal cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed beta-mercaptoethanol but not by periodate treatment. This mucin is presel primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differidentification of primary mucinous ovarian tumors from colon adenocarcing metastatic to the ovary. MUC5AC antibodies may also be useful for identified of intestinal metaplasia as well as in the identification of pancreatic carcing and pre-cancerous changes vs. normal pancreas. Immunogen M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial mucinocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry, Immunohistochemistry.		Human, Mouse, Rat, Porcine, Chicken, Feline, Mammal, Monkey, Rabbit, Bovine (Negative)
Image: Product Application Details M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidia Product Application Details Applications Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/Immunohistochemistry-Paraffin, CyTOF-red		Hedgehog. Does not react with Bovine. br/> Use in Mouse reported in scientific literature (PMID:34260916)
O Le(a-b) patient Notes DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial Product Application Details Applications Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, CyTOF-rest		cysteine rich part of the peptide core of MUC5AC. Its epitope is destroyed by beta-mercaptoethanol but not by periodate treatment. This mucin is present in primary ovarian mucinous cancer but usually absent in colorectal adenocarcinoma, thus showing an expression pattern opposite to MUC2. Together with a panel of antibodies, Anti-MUC5AC may be useful for differential identification of primary mucinous ovarian tumors from colon adenocarcinoma metastatic to the ovary. MUC5AC antibodies may also be useful for identification of intestinal metaplasia as well as in the identification of pancreatic carcinoma
DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidial Product Application Details Applications Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, CyTOF-rest	•	M1 mucin preparation from the fluid of an ovarian mucinous cyst belonging to an O Le(a-b) patient
Applications Western Blot, Dot Blot, Flow Cytometry, Flow (Intracellular), Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, CyTOF-rest		DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.
Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry-Paraffin, CyTOF-re	Product Application Details	
Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemis		
		Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry- Frozen, Dot Blot, Flow (Intracellular), CyTOF-ready
Application NotesUse in Dot Blot reported in scientific literature (PMID: 31374872).Optimal dilution of this antibody should be experimentally determined.		





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-32732C

NBP1-43319CMouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [DyLight 650]H00004586-Q01-10ugRecombinant Human MUC5AC GST (N-Term) Protein236-EG-200EGF [Unconjugated]NBP2-76703Human MUC5AC ELISA Kit (Colorimetric)

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32732C

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

