Product Datasheet

CD6 Antibody (SPM547) NBP2-32828-0.1mg

Unit Size: 0.1 mg Store at 4C.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32828

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-32828



NBP2-32828-0.1mg

CD6 Antibody (SPM547)

CD6 Antibody (SPM547)		
Product Information		
Unit Size	0.1 mg	
Concentration	0.2 mg/ml	
Storage	Store at 4C.	
Clonality	Monoclonal	
Clone	SPM547	
Preservative	0.05% Sodium Azide	
Isotype	IgG1 Kappa	
Purity	Protein A or G purified	
Buffer	10 mM PBS with 0.05% BSA	
Product Description		
Description	200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-34789) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.	
Host	Mouse	


	-80C.
Host	Mouse
Gene ID	923
Gene Symbol	CD6
Species	Human
Marker	Negative Marker of T-regulatory Cells
Immunogen	Human recombinant CD6 protein (Uniprot: P30203)
Product Application Details	
Applications	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry,

Product Application Details	
Applications	Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Recommended Dilutions	Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml
Application Notes	Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.




Images

Immunocytochemistry/Immunofluorescence: CD6 Antibody (SPM547) [NBP2-32828] - Immunofluorescence staining of MOLT-4 cells using CD6 Antibody (SPM547) followed by goat anti-Mouse IgG conjugated to CF488 (green). Nuclei are stained with Red Dot.



Immunohistochemistry-Paraffin: CD6 Antibody (SPM547) [NBP2-32828] - Formalin-fixed paraffin-embedded human tonsil stained with CD6 Monoclonal antibody (SPM547).





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom

Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-32828-0.1mg

HAF007 Goat anti-Mouse IgG Secondary Antibody [HRP]

NB720-B Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]

NBP1-43319-0.5mg Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)

7268-CT-100 CTLA-4 [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32828

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

