Product Datasheet

HSP60 Antibody (SPM253) NBP2-32866-0.1mg

Unit Size: 0.1 mg

Store at 4C.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32866

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-32866



NBP2-32866-0.1mg


HSP60 Antibody (SPM253)

0.1 mg
0.2 mg/ml
Store at 4C.
Monoclonal
SPM253
0.05% Sodium Azide
IgG1 Kappa
Protein A or G purified
10 mM PBS with 0.05% BSA
60 kDa
200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA at 1.0 mg/ml. (NBP2-34734) Antibody with azide - store at 2 to 8C.
Mouse
3329
HSPD1
Human, Mouse, Rat, Porcine, Bovine, Canine, Chicken, Drosophila, Hamster, Monkey, Rabbit, Sheep, Xenopus
Does not react with Bacteria, helminths or spinach.
Mitochondrial Marker
Recognizes a 60kDa protein, identified as the heat shock protein 60 (HSP60). Its epitope is localized between aa 383-447 of human HSP60. A wide variety of environmental and pathophysiological stressful conditions trigger the synthesis of a family of proteins known as heat shock proteins (hsp s), more appropriately called as stress response proteins (srp s). HSP60 is a potential antigen in a number of autoimmune diseases. In human arthritis and in experimentally induced arthritis in animals, disease development coincides with the development of immune reactivity directed against not only bacterial HSP60, but also against its mammalian homolog.
Recombinant human HSP60 protein (Uniprot: P10809)
Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin
Western Blot 1-2 ug/ml, Flow Cytometry 1-2 ug/million cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry-Paraffin 1-2 ug/ml
Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.



Images


Western Blot: HSP60 Antibody (SPM253) [NBP2-32866] - Western Blot Analysis of HeLa cell lysate using HSP60 Antibody (SPM253)




Immunocytochemistry/Immunofluorescence: HSP60 Antibody (SPM253) [NBP2-32866] - Immunofluorescence Analysis of PFA-fixed MCF-7 cells, followed by goat anti-Mouse IgG-CF488 (Green). The nuclear counterstain is Red Dot (Red).

Immunohistochemistry-Paraffin: HSP60 Antibody (SPM253) [NBP2-32866] - Formalin-fixed, paraffin-embedded human pancreas stained with HSP60 Monoclonal Antibody (SPM253)

Immunohistochemistry-Paraffin: HSP60 Antibody (SPM253) [NBP2-32866] - Formalin-fixed, paraffin-embedded human bladder carcinoma stained with HSP60 Monoclonal Antibody (SPM253)









Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-32866-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP1-77396PEP	HSP60 Antibody Blocking Peptide

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32866

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

