Product Datasheet

Bromodeoxyuridine/BrdU Antibody (BU20a) NBP2-32922-0.1mg

Unit Size: 0.1 mg

Store at 4C.

www.novusbio.com

technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-32922

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-32922



NBP2-32922-0.1mg

Bromodeoxyuridine/BrdU Antibody (BU20a)


g/ml at 4C.	
g/ml	
at 4C	
clonal	
à	
Sodium Azide	
Карра	
n A or G purified	
1 PBS with 0.05% BSA	
Product Description	
/ml of antibody purified from Bioreactor Concentrate by Protein A or G. red in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available OUT BSA & azide at 1.0 mg/ml. (NBP2-34567) dy with azide - store at 2 to 8C. Antibody without azide - store at -20 to	
)	
pecies specific	
ration Marker	
ts with Bromodeoxyuridine (BrdU) in single stranded DNA (produced by denaturation of double stranded DNA), BrdU coupled to a protein carrier, I as free BrdU. BrdU is a thymidine analog, incorporated into cell nuclei DNA synthesis prior to mitosis. Antibody to BrdU is helpful in detecting S-cells, providing useful information on the aggressiveness of tumors.	
deoxyuridine/BrdU conjugated to KLH	
Product Application Details	
Cytometry, Immunocytochemistry/ Immunofluorescence, nohistochemistry, Immunohistochemistry-Frozen, Immunohistochemistry- in	
Cytometry 1-2 ug/million cells, Immunohistochemistry, nocytochemistry/ Immunofluorescence 1-2 ug/ml, Immunohistochemistry- in 1-2 ug/ml, Immunohistochemistry-Frozen 0.5-1.0ug/ml	
nohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. For og of formalin-fixed tissues, incubate sections in 4N HCl for 30 minutes at lowed by digestion with trypsin at 1mg/ml PBS, 10 min at 37C. al dilution for a specific application should be determined.	

www.novusbio.com



Images

Immunohistochemistry-Paraffin: Bromodeoxyuridine/BrdU Antibody (BU20a) [NBP2-32922] - Formalin-fixed, paraffin-embedded Mouse Small Intestine stained with BrdU Monoclonal Antibody (BU20a).



Publications

Mori H, Cheng Q, Lutter C et al. Endothelial Barrier Protein Expression in Biodegradable Polymer Sirolimus-Eluting Versus Durable Polymer Everolimus-Eluting Metallic Stents JACC Cardiovasc Interv. 2017-10-25 [PMID: 29102583] (Rabbit)







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-32922-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
NBP3-07125	Bromodeoxyuridine/BrdU MCF-7 Cell Line Slides (Adult Adenocarcinoma)- Paraffin

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-32922

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

