# **Product Datasheet**

# p53 Antibody (BP53-12) [DyLight 405] NBP2-33074V

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-33074V

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-33074V



### NBP2-33074V

p53 Antibody (BP53-12) [DyLight 405]

| poortitibody (Di oo 12) [DyEigit | . 400]  |
|----------------------------------|---|
| Product Information              |   |
| Unit Size                        | 0.1 ml  |
| Concentration                    | Please see the vial label for concentration. If unlisted please contact technical services.   |
| Storage                          | Store at 4C in the dark.  |
| Clonality                        | Monoclonal  |
| Clone                            | BP53-12   |
| Preservative                     | 0.05% Sodium Azide  |
| Isotype                          | IgG2a Kappa   |
| Conjugate                        | DyLight 405   |
| Purity                           | Protein A or G purified   |
| Buffer                           | 50mM Sodium Borate  |
| Product Description              |   |
| Description                      | This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.   |
| Host                             | Mouse   |
| Gene ID                          | 7157  |
| Gene Symbol                      | TP53  |
| Species                          | Human, Canine, Chicken, Hamster, Monkey, Mouse (Negative), Rat (Negative)   |
| Reactivity Notes                 | Does not react with Mouse or Rat.   |
| Specificity/Sensitivity          | This monoclonal antibody reacts with an N-terminal epitope (aa 16-25) of both wild type and mutated p53. Mutation and/or allelic loss of p53 is one of the causes of a variety of mesenchymal and epithelial tumors. If it occurs in the germ line, such tumors run in families. In most transformed and tumor cells the concentration of p53 is increased 51000 fold over the minute concentrations (1000 molecules cell) in normal cells, principally due to the increased half-life (4 h) compared to that of the wild-type (20 min). p53 Localizes in the nucleus, but is detectable at the plasma membrane during mitosis and when certain mutations modulate cytoplasmic/nuclear distribution. Mutations arise with an average frequency of 70% but incidence varies from zero in carcinoid lung tumors to 97% in primary melanomas. High concentrations of p53 protein are transiently expressed in human epidermis and superficial dermal fibroblasts following mild ultraviolet irradiation. Positive nuclear staining with p53 antibody has been reported to be a negative prognostic factor in breast carcinoma, lung carcinoma, colorectal, and urothelial carcinoma. Anti-p53 positivity has also been used to differentiate uterine serous carcinoma from endometrioid carcinoma as well as to detect intratubular germ cell neoplasia. |
| Immunogen                        | Recombinant human wild-type p53 protein (Uniprot: P04637)   |
| Notes                            | DyLight (R) is a trademark of Thermo Fisher Scientific Inc. and its subsidiaries.   |
| Product Application Details      |   |

### **Product Application Details**

**Applications**Western Blot, Simple Western, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready



**Recommended Dilutions** 

Western Blot, Simple Western, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready





#### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

#### **Products Related to NBP2-33074V**

NBP1-96981V Mouse IgG2a Kappa Isotype Control (M2AK) [DyLight 405]

NBP2-34495PEP p53 Recombinant Protein Antigen

1129-ER-050 ErbB2/Her2 [Unconjugated]

DYC1043-2 p53 [Biotin]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-33074V

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

