Product Datasheet

p21/CIP1/CDKN1A Antibody (WA-1) [mFluor Violet 610 SE] NBP2-33084MFV610

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

G

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-33084MFV610

Updated 10/26/2023 v.20.1



Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-33084MFV610



NBP2-33084MFV610

p21/CIP1/CDKN1A Antibody (WA-1) [mFluor Violet 610 SE]

Product Information Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone WA-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate mFluor Violet 610 SE Purity Protein A or G purified Buffer SomM Sodium Borate Product Description 1026 Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Species Human, Mouse, Chimpanzee, Monkey Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows on cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cds and a tumor suppressor involved in the pathogenesis of a variet of malignancies. The expression is been reported in many carcinomas (gastric carcinoma, net stas as an inhibitor of the cell cycle during G1 protein. Normal cells generally display a rather intense nuclear p21 expression is included by the wild type, but not mutant, p53 suppressor protein p53. Its expresison is ind	1 2 (
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone WA-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate mFluor Violet 610 SE Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 1026 Gene Symbol CDKN11A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors, p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. This monoclonal antibody will type, but not mutant, p53 suppressor protein. Normal cell sugenerally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (spartic carcinoma, hor-small cell lung carcinoma, hyroid carcinoma, hor-small cell lung carcinoma, hyroid carcinoma, hor-small cell lung carcinoma, hyroid carcinoma, hor-small ce	Product Information	
services. Storage Store at 4C in the dark. Clonality Monoclonal Clone WA-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate mFluor Violet 610 SE Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas. (gastric carcinoma, normal cell lung carcinoma, thyroid carcinoma, hyroid carcinoma, hyroid carcinoma, hor suppressor protein. Normal cell server 101/10/DKN1A protein (Uniprot: P38936.) Immunogen Human recombinant p21/CIP1/12/DKN1A protein (Uniprot: P38936.) Notes	Unit Size	0.1 ml
Clonality Monoclonal Clone WA-1 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate mFluor Violet 610 SE Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mittoti inhibitors. p21WAF1 is a specific inhibitor of closely related mittoti inhibitors. Loss of p21 wares in a specific inhibitor of closely related mittoti inhibitors. pathware for the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression rotein p53. Its expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cell segnerally display a rather intense nuclear p21 expression is closely related mittoti chinbitors. Immunogen Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than oreq	Concentration	•
CloneWA-1Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugatemFluor Violet 610 SEPurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID1026Gene SymbolCDKN1ASpeciesHuman, Mouse, Chimpanzee, MonkeySpecificity/SensitivityThis monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Loss of p21 expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cell generally display are as olid phase or for detection of p21 protein.ImmunogenHuman recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936)NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will by enclare will the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate mFluor Violet 610 SE Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinoma, in ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein. Immunogen Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demad. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.	Clonality	Monoclonal
IsotypeIgG1 KappaConjugatemFluor Violet 610 SEPurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID1026Gene SymbolCDKN1ASpeciesHuman, Mouse, Chimpanzee, MonkeySpeciesHuman, Mouse, Chimpanzee, MonkeySpecificity/SensitivityThis monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related in thoic inhibitors. p21WAF1 is a specific inhibitor of dcks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Driss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein.ImmunogenHuman recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936)NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Clone	WA-1
Conjugate mFluor Violet 610 SE Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the att mor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, hyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein. Immunogen Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) Notes mFluor(TM) is a trademark of AAT Broquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Product Description Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Preservative	0.05% Sodium Azide
Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Mouse Host Mouse Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the sum or suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein. Immunogen Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Isotype	IgG1 Kappa
Buffer 50mM Sodium Borate Product Description Mouse Host Mouse Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma. In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein. Immunogen Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Conjugate	mFluor Violet 610 SE
Product Description Host Mouse Gene ID 1026 Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, hyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein. Immunogen Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Purity	Protein A or G purified
HostMouseGene ID1026Gene SymbolCDKN1ASpeciesHuman, Mouse, Chimpanzee, MonkeySpecificity/SensitivityThis monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression consend cell uga carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein.ImmunogenHuman recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Buffer	50mM Sodium Borate
Gene ID1026Gene SymbolCDKN1ASpeciesHuman, Mouse, Chimpanzee, MonkeySpecificity/SensitivityThis monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein p53. Its expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinoma, (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein.ImmunogenHuman recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Product Description	
Gene Symbol CDKN1A Species Human, Mouse, Chimpanzee, Monkey Specificity/Sensitivity This monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein. Immunogen Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936) Notes mFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Product Application Details Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Host	Mouse
SpeciesHuman, Mouse, Chimpanzee, MonkeySpecificity/SensitivityThis monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein p53. Its expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein.ImmunogenHuman recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936)NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Gene ID	1026
Specificity/SensitivityThis monoclonal antibody recognizes a 21kDa protein, identified as the p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein.ImmunogenHuman recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936)NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Gene Symbol	CDKN1A
p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein p53. Its expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid phase or for detection of p21 protein.ImmunogenHuman recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936)NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Species	Human, Mouse, Chimpanzee, Monkey
NotesmFluor(TM) is a trademark of AAT Bioquest, Inc. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsWestern Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Specificity/Sensitivity	p21WAF1 tumor suppressor protein. This monoclonal antibody is highly specific to p21 and shows no cross-reaction with other closely related mitotic inhibitors. p21WAF1 is a specific inhibitor of cdks and a tumor suppressor involved in the pathogenesis of a variety of malignancies. The expression of this gene acts as an inhibitor of the cell cycle during G1 phase and is tightly controlled by the tumor suppressor protein p53. Its expression is induced by the wild type, but not mutant, p53 suppressor protein. Normal cells generally display a rather intense nuclear p21 expression. Loss of p21 expression has been reported in many carcinomas (gastric carcinoma, non-small cell lung carcinoma, thyroid carcinoma). In ELISA, monoclonal antibody WA-1 is useful either as a solid
demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Product Application Details Applications Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Immunogen	Human recombinant p21/CIP1/CDKN1A protein (Uniprot: P38936)
Applications Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence,	Notes	demand. Actual recovery may vary from the stated volume of this product. The
	Product Application Details	
		Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready
Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready		Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin,
	Application Notes	Optimal dilution of this antibody should be experimentally determined.
	Application Notes	Optimal dilution of this antibody should be experimentally determined.



Images

p21/CIP1/CDKN1A Antibody (WA-1) [mFluor Violet 610 SE] [NBP2-33084MFV610] - Vial of mFluor Violet 610 conjugated antibody. mFluor Violet 610 is optimally excited at 421 nm by the Violet laser (405 nm) and has an emission maximum of 613 nm.



www.novusbio.com





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-33084MFV610

NB500-106	PCNA Antibody (PC10)
AF835	Caspase-3 Antibody [Unconjugated] - Active
DYC1047-2	p21/CIP1/CDKN1A [Biotin]
NBP2-22976	Recombinant Human p21/CIP1/CDKN1A His Protein

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-33084MFV610

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

