Product Datasheet

GFAP Antibody (GA-5) [PerCP] NBP2-33184PCP

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com technical@novusbio.com

Reviews: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-33184PCP

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-33184PCP



NBP2-33184PCP


GFAP Antibody (GA-5) [PerCP]

1 ml
1 ml
1 111
ease see the vial label for concentration. If unlisted please contact technical prvices.
ore at 4C in the dark.
onoclonal
4-5
05% Sodium Azide
G1 Kappa
erCP
otein G purified
3S
) kDa
his conjugate is made on demand. Actual recovery may vary from the stated lume of this product. The volume will be greater than or equal to the unit size ated on the datasheet.
ouse
570
FAP
uman, Mouse, Rat, Porcine, Bovine, Chicken, Rabbit
strocyte & Neural Stem Cell Marker
his monoclonal antibody recognizes a protein of ~50kDa which is identified as ial Fibrillary Acidic Protein (GFAP). It shows no cross-reaction with other termediate filament proteins. GFAP is specifically found in astroglia. GFAP is a try popular marker for localizing benign astrocyte and neoplastic cells of glial igin in the central nervous system. Antibody to GFAP is useful in differentiating imary gliomas from metastatic lesions in the brain and for documenting trocytic differentiation in tumors outside the CNS.
FAP isolated from pig spinal cord (Uniprot: P14136)
estern Blot, Simple Western, Flow Cytometry, Immunocytochemistry/ munofluorescence, Immunohistochemistry, Immunohistochemistry-Frozen, munohistochemistry-Paraffin
estern Blot, Simple Western, Flow Cytometry, Immunohistochemistry, munocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, munohistochemistry-Frozen



Images

Flow Cytometry: GFAP Antibody (GA5) [PerCP] [NBP2-33184PCP] -Experimental autoimmune encephalomyelitis was induced in C57BL6/J mice, and mononuclear cells were isolated from the CNS at day 10 (onset of symptoms). Cells were stained for GFAP, Neun, CX3CL1, CXCL12, CCL2, CD45 and CD11b, plus for viability to exclude dead cells. GFAP staining is shown for viable cells. Image from verified customer review.







Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-33184PCP

NBP1-43319PCP-0.5ml	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [PerCP]
H00002670-Q01-10ug	Recombinant Human GFAP GST (N-Term) Protein
210-TA-005	TNF-alpha [Unconjugated]
DY2594-05	GFAP [Biotin]
D12594-05	GRAP [DIOUII]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-33184PCP

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

