Product Datasheet

Cytokeratin 17 Antibody (E3 (same as Ks17.E3)) [Janelia Fluor® 669] NBP2-33188JF669

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-33188JF669

Updated 11/11/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-33188JF669



NBP2-33188JF669

| Cytokeratin 17 Antibody (E3 (same as Ks17.E3)) [Janelia Fluor® 669] | |
|--|--|
| | |
| 0.1 ml | |
| Please see the vial label for concentration. If unlisted please contact technical services. | |
| Store at 4C in the dark. | |
| Monoclonal | |
| E3 (same as Ks17.E3) | |
| 0.05% Sodium Azide | |
| IgG2b Kappa | |
| Janelia Fluor 669 | |
| Protein A or G purified | |
| 50mM Sodium Borate | |
| Product Description | |
| Mouse | |
| 3872 | |
| KRT17 | |
| Human, Rat, Porcine, Bovine, Goat | |
| Basal Epithelial Marker | |
| Cytokeratin 17 (CK17) is normally expressed in the basal cells of complex epithelia but not in stratified or simple epithelia. Antibody to CK17 is an excellent tool to distinguish myoepithelial cells from luminal epithelium of various glands such as mammary, sweat and salivary. CK17 is expressed in epithelial cells of various origins, such as bronchial epithelial cells and skin appendages. It may be considered as 'epithelial stem cell' marker because CK17 Ab marks basal cell differentiation. CK17 is expressed in SCLC much higher than in LADC. Eighty-five percent of the triple negative breast carcinomas immunoreact with basal cytokeratins including anti-CK17. Also important is that cases of triple negative breast carcinoma with expression of CK17 show an aggressive clinical course. The histologic differentiation of ampullary cancer, intestinal vs. pancreatobiliary, is very important for treatment. Usually anti-CK17 and anti-MUC1 immunoreactivity represents pancreatobiliary subtype whereas anti-MUC2 and anti-CDX-2 positivity defines intestinal subtype. | |
| Cytoskeletal fraction of rat colon epithelium (Uniprot: Q04695) | |
| Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus. | |
| | |
| Western Blot, Immunohistochemistry-Paraffin, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Frozen | |
| Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, Immunohistochemistry-Frozen | |
| Optimal dilution of this antibody should be experimentally determined. | |
| | |





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-33188JF669

NBP1-43317JF669 Mouse IgG2b Kappa Light Chain Isotype Control (MG2b) [Janelia Fluor

669]

NBP2-51594-0.1mg Recombinant Human Cytokeratin 17 His Protein

H00003872-T01 Cytokeratin 17 293T Cell Transient Overexpression Lysate

MAB1417 Insulin Antibody (182410) [Unconjugated]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-33188JF669

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

