# **Product Datasheet**

# Progesterone R/NR3C3 Antibody (PR484) NBP2-33324-0.1mg

Unit Size: 0.1 mg

Store at 4C.

www.novusbio.com

technical@novusbio.com

**Publications: 1** 

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-33324

Updated 4/13/2025 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-33324




## NBP2-33324-0.1mg

Progesterone R/NR3C3 Antibody (PR484)

0.1 mg	
0.2 mg/ml	
Store at 4C.	
Monoclonal	
PR484	
0.05% Sodium Azide	
IgG1 Kappa	
Protein A or G purified	
10 mM PBS with 0.05% BSA	
Product Description	
200ug/ml of antibody purified from Bioreactor Concentrate by Protein A or G. Prepared in 10 mM PBS with 0.05% BSA & 0.05% azide. Also available WITHOUT BSA & azide at 1.0 mg/ml. (NBP2-33325) Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80 C.	
Mouse	
5241	
PGR	
Human	
Marker of Progestin Dependence	
This monoclonal antibody is specific to progesterone receptor and shows minimal cross-reaction with other members of the family. Progesterone receptor is expressed as two major isoforms, PR-A (81kDa) and PR-B (116kDa). Expression of PgR has been suggested to reflect a intact estrogen regulatory machinery and therefore, predict better clinical response to endocrine therapy than ER alone. It is excellent for immunohistochemical staining of formalin/paraffin tissues.	
Recombinant full-length human Progesterone R/NR3C3 protein (PGR) (Uniprot: P06401)	
Simple Western, Immunohistochemistry, Immunohistochemistry-Paraffin	
Simple Western 10 ug/ml, Immunohistochemistry, Immunohistochemistry- Paraffin 1-2 ug/ml	
<ul> <li>Immunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.</li> <li>In Simple Western only 10 - 15 ul of the recommended dilution is used per data point.</li> <li>See Simple Western Antibody Database for Simple Western validation: Tested in T47d and MCF-7 lysates, separated by Size, antibody dilution of 10 ug/mL, apparent MW was 130 kDa.</li> </ul>	



#### Images



#### **Publications**

Grigoryeva ES, A Tashireva L, Alifanov VV et al. Molecular subtype conversion in CTCs as indicator of treatment adequacy associated with metastasis-free survival in breast cancer Scientific reports 2022-12-05 [PMID: 36470982] (FLOW, Human)





### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-33324-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
H00005241-Q01-10ug	Recombinant Human Progesterone R/NR3C3 GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-33324

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

