Product Datasheet

U2AF2 Antibody - BSA Free NBP2-33397

Unit Size: 0.1 ml

Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.

www.novusbio.com



technical@novusbio.com

Publications: 1

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-33397

Updated 4/13/2025 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-33397



NBP2-33397


U2AF2 Antibody - BSA Free

U2AF2 Antibody - BSA Free	
Product Information	
Unit Size	0.1 ml
Concentration	Concentrations vary lot to lot. See vial label for concentration. If unlisted please contact technical services.
Storage	Store at 4C short term. Aliquot and store at -20C long term. Avoid freeze-thaw cycles.
Clonality	Polyclonal
Preservative	0.02% Sodium Azide
Isotype	IgG
Purity	Immunogen affinity purified
Buffer	PBS (pH 7.2) and 40% Glycerol
Product Description	
Host	Rabbit
Gene ID	11338
Gene Symbol	U2AF2
Species	Human
Immunogen	This antibody was developed against a recombinant protein corresponding to amino acids: PDSAHKLFIGGLPNYLNDDQVKELLTSFGPLKAFNLVKDSATGLSKGYAFCEYV DINVTDQAIAGLNGMQLGDKKLLVQRASVGAKNATLVS
Product Application Details	
Applications	Western Blot, Simple Western, Immunohistochemistry, Immunohistochemistry-Paraffin, Knockdown Validated
Recommended Dilutions	Western Blot 0.04-0.4 ug/ml, Simple Western 1:25, Immunohistochemistry 1:50 - 1:200, Immunohistochemistry-Paraffin 1:50 - 1:200, Knockdown Validated
Application Notes	For IHC-Paraffin, HIER pH 6 retrieval is recommended.




Images

Western Blot: U2AF2 Antibody [NBP2-33397] - Analysis in U2OS cells transfected with control siRNA, target specific siRNA probe #1 and #2. Remaining relative intensity is presented.




Immunohistochemistry: U2AF2 Antibody [NBP2-33397] - Staining of human colon shows strong nuclear positivity in glandular cells.



Simple Western: U2AF2 Antibody [NBP2-33397] - Simple Western lane view shows a specific band for U2AF2 in 0.2 mg/ml of HEK 293T lysate (s). This experiment was performed under reducing conditions using the 12-230 kDa separation system.



Simple Western: U2AF2 Antibody [NBP2-33397] - Electropherogram image of the corresponding Simple Western lane view. U2AF2 antibody was used at 1:25 dilution on HEK 293T lysate(s) respectively.



Publications

Zhao L, Zang Q, Liang G, Yao X LncRNA CECR7 boosts hepatocellular carcinoma progression by recruiting RNA binding protein U2AF2 to enhance the stability of EXO1 mRNA Heliyon 2023-09-01 [PMID: 37809785] (RIP, Human)





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-33397

NBP2-33397PEP U2AF2 Recombinant Protein Antigen

HAF008 Goat anti-Rabbit IgG Secondary Antibody [HRP]

NB7160 Goat anti-Rabbit IgG (H+L) Secondary Antibody [HRP]

NBP2-24891 Rabbit IgG Isotype Control

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-33397

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

