

# Product Datasheet

## GFAP Antibody (SPM248) - Azide and BSA Free NBP2-34401-0.1mg

Unit Size: 0.1 mg

Store at -20 to -80C. Avoid freeze-thaw cycles.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

### Publications: 2

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-34401](http://www.novusbio.com/NBP2-34401)

Updated 10/23/2024 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-34401](http://www.novusbio.com/reviews/destination/NBP2-34401)




**NBP2-34401-0.1mg**

GFAP Antibody (SPM248) - Azide and BSA Free


| <b>Product Information</b>         |  |
|------------------------------------|--|
| <b>Unit Size</b>                   | 0.1 mg   |
| <b>Concentration</b>               | 1.0 mg/ml  |
| <b>Storage</b>                     | Store at -20 to -80C. Avoid freeze-thaw cycles.  |
| <b>Clonality</b>                   | Monoclonal   |
| <b>Clone</b>                       | SPM248   |
| <b>Preservative</b>                | No Preservative  |
| <b>Isotype</b>                     | IgG1 Kappa   |
| <b>Purity</b>                      | Protein A or G purified  |
| <b>Buffer</b>                      | 10 mM PBS  |
| <b>Target Molecular Weight</b>     | 50 kDa   |
| <b>Product Description</b>         |  |
| <b>Description</b>                 | 1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A/G. Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 ug/ml WITH BSA & azide (NBP2-34353).<br><br>Antibody with azide - store at 2 to 8C. Antibody without azide - store at -20 to -80C.  |
| <b>Host</b>                        | Mouse  |
| <b>Gene ID</b>                     | 2670   |
| <b>Gene Symbol</b>                 | GFAP   |
| <b>Species</b>                     | Human, Mouse, Rat, Porcine, Bovine, Chicken, Rabbit  |
| <b>Marker</b>                      | Astrocyte & Neural Stem Cell Marker  |
| <b>Specificity/Sensitivity</b>     | This monoclonal antibody recognizes a protein of ~50kDa which is identified as Glial Fibrillary Acidic Protein (GFAP). It shows no cross-reaction with other intermediate filament proteins. GFAP is specifically found in astroglia. GFAP is a very popular marker for localizing benign astrocyte and neoplastic cells of glial origin in the central nervous system. Antibody to GFAP is useful in differentiating primary gliomas from metastatic lesions in the brain and for documenting astrocytic differentiation in tumors outside the CNS. |
| <b>Immunogen</b>                   | GFAP isolated from pig spinal cord (Uniprot: P14136)   |
| <b>Product Application Details</b> |  |
| <b>Applications</b>                | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready  |
| <b>Recommended Dilutions</b>       | Western Blot 0.5 - 1 ug/mL, Flow Cytometry 0.5 - 1 ug/million cells, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence 1 - 2 ug/mL, Immunohistochemistry-Paraffin 0.5 - 1 ug/mL, CyTOF-ready   |
| <b>Application Notes</b>           | Immunohistochemistry (Formalin-fixed): 1-2 ug/mL for 30 minutes at RT. Staining of formalin-fixed tissues requires heating tissue sections in 10 mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minutes. Optimal dilution for a specific application should be determined.  |

## Images


Western Blot: GFAP Antibody (SPM248) - Azide and BSA Free [NBP2-34401] - Western Blot Analysis of human brain tissue lysate using GFAP Antibody (SPM248).



Immunohistochemistry-Paraffin: GFAP Antibody (SPM248) - Azide and BSA Free [NBP2-34401] - Formalin-fixed, paraffin-embedded human Schwannoma stained with GFAP monoclonal antibody (SPM248)



Flow Cytometry: GFAP Antibody (SPM248) - Azide and BSA Free [NBP2-34401] - Flow Cytometric Analysis of T98G cells using GFAP Antibody (SPM248) followed by Goat anti-Mouse IgG-CF488 (Blue); Isotype Control (Red).



## Publications

Raj N, McEachin ZT, Harousseau W et al. Cell-type-specific profiling of human cellular models of fragile X syndrome reveal PI3K-dependent defects in translation and neurogenesis Cell Rep 2021-04-14 [PMID: 33852833]

Details:

Citation using the Azide and BSA Free format of this antibody.

Coleman LG, Zou J, Crews FT Microglial-derived miRNA let-7 and HMGB1 contribute to ethanol-induced neurotoxicity via TLR7 J Neuroinflammation Jan 25 2017 12:00AM [PMID: 28118842] (FLOW, ELISA, Human) J Neuroinflammation. 2017-01-25 [PMID: 28118842]

Details:

Citation using the Alexa Fluor 488 form of this antibody.



### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-34401-0.1mg**

---

|                  |   |
|------------------|---|
| HAF007           | Goat anti-Mouse IgG Secondary Antibody [HRP]            |
| NB720-B          | Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin] |
| NBP1-43319-0.5mg | Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)           |
| NBP2-34401AF405  | GFAP Antibody (SPM248) [Alexa Fluor® 405]               |

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-34401](http://www.novusbio.com/reviews/submit/NBP2-34401)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)

