# **Product Datasheet**

# FoxP3 Antibody (SPM579) [Alexa Fluor® 350] NBP2-34432AF350

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34432AF350

Updated 10/26/2023 v.20.1

# Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34432AF350



## NBP2-34432AF350

FoxP3 Antibody (SPM579) [Alexa Fluor® 350]

Unit Size0.1 mlConcentrationPlease see the vial label for concentration. If unitsted please contact technical services.StorageStore at 4C in the dark.ClonalityMonoclonalClonalityMonoclonalCloneSPM579Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseGene ID50943Gene SymbolFOXP3Specificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise services a comon DNA binding domain termed a winged-helix or forkhead domain. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, while neoplastic cells often exhibit a dramatic charge in expression level or localization of FOXP1. Mutations in FOXP3 gene cardiovascular tissues, while neoplastic cells often exhibit a dramatic charge in expression level or localization in FOXP3 gene cardiovascular tissues, while neoplastic cells often exhibit a dramatic charge in expression level or localization of rOXP1. Mutations in FOXP3 gene cardiovascular tissues, while neoplastic cells often exhibit a dramatic charge in expression level or localization of FOXP1. Mutations in FOXP3 gene cardiovascular tissues, while neoplastic cells often exhibit a dramatic charge in expression level or localization of FOXP1. Mutations in FOXP3 gene cardiovasc	Product Information		
services.StorageStore at 4C in the dark.ClonalityMonoclonalCloneSPM579Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50MM Sodium BorateProduct DescriptionSomM Sodium BorateHostMouseGene ID50943Gene SymbolFOXP3Specificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovacular tissues, where they act as transcription in FOXP1 gene caude usinge IPX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specificity, FOXP1 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Unit Size	0.1 ml	
ClonalityMonoclonalCloneSPM579Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50MM Sodium BorateProduct DescriptionMouseHostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its preciseshare a common DNA binding domain termed a winged-helix or forkhead adomain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, while lower levels of expression in neural, intestinal and cardiovascular tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1 Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 proteins that scentified protein for Characterized by immune dysregulation. The FOXP3 proteins that scentified protein for protes or level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein strating for horormal immune homeostasis. Specificily, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Concentration		
CloneSPM579Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionNouseHostMouseGene ID50943SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its preciseSpecificity/SensitivityRecognizes a protein of 47-55kDa, which is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 regresses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Storage	Store at 4C in the dark.	
Preservative0.05% Sodium AzideIsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHouseHostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Clonality	Monoclonal	
IsotypeIgG1 KappaConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionMouseHostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Clone	SPM579	
ConjugateAlexa Fluor 350PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpeciesRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Preservative	0.05% Sodium Azide	
PurityProtein A or G purifiedBuffer50mM Sodium BorateProduct DescriptionHostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Isotype	IgG1 Kappa	
Buffer50mM Sodium BorateProduct DescriptionHostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune cardiovascular tissues, Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Conjugate	Alexa Fluor 350	
Product DescriptionHostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Purity	Protein A or G purified	
HostMouseGene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Buffer	50mM Sodium Borate	
Gene ID50943Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Product Description		
Gene SymbolFOXP3SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Host	Mouse	
SpeciesHuman, Mouse, MonkeySpecificity/SensitivityRecognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Gene ID	50943	
Specificity/Sensitivity Recognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Gene Symbol	FOXP3	
epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	Species	Human, Mouse, Monkey	
ImmunogenFull-length human FoxP3 protein (Uniprot: Q9ZS1)	Specificity/Sensitivity	Recognizes a protein of 47-55kDa, which is identified as FOXP3. Its precise epitope is not known, but it has been mapped to the N-terminal portion of the protein. The FOX family of transcription factors is a large group of proteins that share a common DNA binding domain termed a winged-helix or forkhead domain. During early development, FOXP1 and FOXP2 are expressed abundantly in the lung, with lower levels of expression in neural, intestinal and cardiovascular tissues, where they act as transcription repressors. FOXP1 is widely expressed in adult tissues, while neoplastic cells often exhibit a dramatic change in expression level or localization of FOXP1. Mutations in FOXP3 gene cause IPEX, a fatal, X-linked inherited disorder characterized by immune dysregulation. The FOXP3 protein is essential for normal immune homeostasis. Specifically, FOXP3 represses transcription through a DNA binding forkhead domain, thereby regulating T cell activation.	
	Immunogen	Full-length human FoxP3 protein (Uniprot: Q9ZS1)	



N	otes	
Ν	otes	

Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

#### **Product Application Details**

	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry- Paraffin, CyTOF-ready
	Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistochemistry- Paraffin, CyTOF-ready
Application Notes	Optimal dilution of this antibody should be experimentally determined.

#### Images

FoxP3 Antibody (SPM579) [Alexa Fluor® 350] [NBP2-34432AF350] -Vial of Alexa Fluor 350 conjugated antibody. Alexa Fluor 350 is optimally excited at 346 nm by the UV laser (350 or 355 nm) and has an emission maximum of 442 nm.

	Alexa Fluc	or® 350	
	LASER (nm)	FILTER	
Alexa Fluor® 350	UV (350)	450/45	
	EXCITATION MAX (nm)	EMISSION MAX (nm)	
	346	442	
CAUTCH - Research Use Chi	540	112	





#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

### Products Related to NBP2-34432AF350

NB600-246PEP	FoxP3 Antibody Blocking Peptide
210-TA-005	TNF-alpha [Unconjugated]
NBP2-29545	FoxP3
6507-IL-010/CF	IL-4 [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34432AF350

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

