Product Datasheet

Cytokeratin 8 Antibody (TS1) [FITC] NBP2-34501F

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34501F

Updated 10/26/2023 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34501F



NBP2-34501F

Cytokeratin 8 Antibody (TS1) [FITC]

Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services.	
Services.	3l
Storage Store at 4C in the dark.	
Clonality Monoclonal	
Clone TS1	
Preservative 0.05% Sodium Azide	
Isotype IgG1 Kappa	
Conjugate FITC	
Purity Protein A or G purified	
Buffer PBS	
Product Description	
Host Mouse	
Gene ID 3856	
Gene Symbol KRT8	
Species Human, Ferret (Negative), Rat (Negative)	
Reactivity Notes Does not react with Rat or Ferret.	
Specificity/Sensitivity Epitope of this monoclonal antibody is located between aa343-357 (ELAIKDANAKLSELE). Cytokeratin 8 (CK8) belongs to the type II (or B or bas subfamily of high molecular weight cytokeratins and exists in combination with cytokeratin 18 (CK18). CK8 is primarily found in the non-squamous epithelia is present in majority of adenocarcinomas and ductal carcinomas. It is absen squamous cell carcinomas. Hepatocellular carcinomas are defined by the us antibodies that recognize only cytokeratin 8 and 18. CK8 exists on several ty of normal and neoplastic epithelia, including many ductal and glandular epith such as colon, stomach, small intestine, trachea, and esophagus as well as i transitional epithelium. Anti-CK8 does not react with skeletal muscle or nerver cells. Epithelioid sarcoma, chordoma, and adamantinoma show strong positir corresponding to that of simple epithelia (with antibodies against CK8, CK18) CK19). Reportedly, anti-CK8 is useful for the differentiation of lobular ('ring-lil perinuclear') from ductal ('peripheral-predominant') carcinoma of the breast.	th and t in e of pes lelia n vity and
ImmunogenKeratin preparation from a human carcinoma (Uniprot: P05787)	
Product Application Details	
Applications Western Blot, Flow Cytometry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready	
Recommended Dilutions Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/Immunofluorescence, Immunohistochemistry-Paraffin,	1
CyTOF-ready	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 novus@novusbio.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: technical@novusbio.com Orders: orders@novusbio.com General: novus@novusbio.com

Products Related to NBP2-34501F

NBP1-43319F	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1) [FITC]
NBP2-23166	Recombinant Human Cytokeratin 8 His Protein
8184-CK-050	Choline Kinase beta [Unconjugated]
NBL1-12397	Cytokeratin 8 Overexpression Lysate

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34501F

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

