

# Product Datasheet

## CD74 Antibody (BU45) [PE/Cy7] NBP2-34568PECY7

Unit Size: 0.1 ml

Store at 4C in the dark. Do not freeze.

[www.novusbio.com](http://www.novusbio.com)



[technical@novusbio.com](mailto:technical@novusbio.com)

Protocols, Publications, Related Products, Reviews, Research Tools and Images at:  
[www.novusbio.com/NBP2-34568PECY7](http://www.novusbio.com/NBP2-34568PECY7)

Updated 10/23/2024 v.20.1

Earn rewards for product  
reviews and publications.

Submit a publication at [www.novusbio.com/publications](http://www.novusbio.com/publications)

Submit a review at [www.novusbio.com/reviews/destination/NBP2-34568PECY7](http://www.novusbio.com/reviews/destination/NBP2-34568PECY7)



**NBP2-34568PECY7**

CD74 Antibody (BU45) [PE/Cy7]

| <b>Product Information</b>         |  |
|------------------------------------|--|
| <b>Unit Size</b>                   | 0.1 ml   |
| <b>Concentration</b>               | Please see the vial label for concentration. If unlisted please contact technical services.  |
| <b>Storage</b>                     | Store at 4C in the dark. Do not freeze.  |
| <b>Clonality</b>                   | Monoclonal   |
| <b>Clone</b>                       | BU45   |
| <b>Preservative</b>                | 0.05% Sodium Azide   |
| <b>Isotype</b>                     | IgG1 Kappa   |
| <b>Conjugate</b>                   | PE/Cy7   |
| <b>Purity</b>                      | Protein A or G purified  |
| <b>Buffer</b>                      | PBS  |
| <b>Product Description</b>         |  |
| <b>Host</b>                        | Mouse  |
| <b>Gene ID</b>                     | 972  |
| <b>Gene Symbol</b>                 | CD74   |
| <b>Species</b>                     | Human  |
| <b>Marker</b>                      | B-Cell Marker  |
| <b>Specificity/Sensitivity</b>     | Recognizes proteins of 33, 35 and 41kDa, which are identified as various isoforms of CD74. Its epitope is localized in the extracellular domain of CD74. CD74 is a type II transmembrane protein which binds to the peptide binding groove of newly synthesized MHC class II alpha/beta heterodimers and prevents their premature association with endogenous polypeptides. The CD74 molecule plays a critical role in the presentation of peptides, by the MHC class II antigens, to CD4 positive lymphocytes. CD74 is expressed on MHC class II positive cells including B cells, a subset of activated T cells, monocytes, and dendritic cells and by various types of carcinomas. CD74 is expressed primarily by antigen presenting cells, such as B-lymphocytes (from before the pre-B cell stage to before the plasma cell stage), macrophages, and monocytes, and many epithelial cells. Anti-CD74 stains predominantly germinal center lymphocytes and B-cell lymphomas, but rarely T-cell lymphomas. Anti-CD74 has been shown to be useful in differentiating atypical fibroxanthoma (-) from malignant fibrous histiocytoma (+). |
| <b>Immunogen</b>                   | B lymphoblastoid cell line HFB1  |
| <b>Product Application Details</b> |  |
| <b>Applications</b>                | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready   |
| <b>Recommended Dilutions</b>       | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, CyTOF-ready   |
| <b>Application Notes</b>           | Optimal dilution of this antibody should be experimentally determined. For optimal results using our Tandem dyes, please avoid prolonged exposure to light or extreme temperature fluctuations. These can lead to irreversible degradation or decoupling. When staining intracellular targets, specific attention to the fixation and permeabilization steps in your flow protocol may be required. Please contact our technical support team at <a href="mailto:technical@novusbio.com">technical@novusbio.com</a> if you have any questions.   |





### **Novus Biologicals USA**

10730 E. Briarwood Avenue  
Centennial, CO 80112  
USA  
Phone: 303.730.1950  
Toll Free: 1.888.506.6887  
Fax: 303.730.1966  
nb-customerservice@bio-techne.com

### **Bio-Techne Canada**

21 Canmotor Ave  
Toronto, ON M8Z 4E6  
Canada  
Phone: 905.827.6400  
Toll Free: 855.668.8722  
Fax: 905.827.6402  
canada.inquires@bio-techne.com

### **Bio-Techne Ltd**

19 Barton Lane  
Abingdon Science Park  
Abingdon, OX14 3NB, United Kingdom  
Phone: (44) (0) 1235 529449  
Free Phone: 0800 37 34 15  
Fax: (44) (0) 1235 533420  
info.EMEA@bio-techne.com

### **General Contact Information**

www.novusbio.com  
Technical Support: nb-technical@bio-techne.com  
Orders: nb-customerservice@bio-techne.com  
General: novus@novusbio.com

### **Products Related to NBP2-34568PECY7**

---

|             |                                    |
|-------------|------------------------------------|
| NBP2-22758  | Recombinant Human CD74 His Protein |
| 7268-CT-100 | CTLA-4 [Unconjugated]              |
| 3590-CD-050 | CD74                               |
| NBP2-22203  | ERK1 Antibody (1E5) - BSA Free     |

---

### **Limitations**

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit [www.novusbio.com/guarantee](http://www.novusbio.com/guarantee)

Earn gift cards/discounts by submitting a review: [www.novusbio.com/reviews/submit/NBP2-34568PECY7](http://www.novusbio.com/reviews/submit/NBP2-34568PECY7)

Earn gift cards/discounts by submitting a publication using this product:  
[www.novusbio.com/publications](http://www.novusbio.com/publications)



