# **Product Datasheet**

# CD31/PECAM-1 Antibody (C31.3 + JC/70A) [Janelia Fluor® 646] NBP2-34578JF646

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34578JF646

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-34578JF646



#### NBP2-34578JF646

CD31/PECAM-1 Antibody (C31.3 + JC/70A) [Janelia Fluor® 646]

| CD31/PECAM-1 Antibody (C31.3 + JC/70A) [Janelia Fluor® 646] |  |
|---|--|
| Product Information   |  |
| Unit Size   | 0.1 ml   |
| Concentration   | Please see the vial label for concentration. If unlisted please contact technical services.  |
| Storage   | Store at 4C in the dark.   |
| Clonality   | Monoclonal   |
| Clone   | C31.3 + JC/70A   |
| Preservative  | 0.05% Sodium Azide   |
| Isotype   | lgG1 Kappa/lgG1 Kappa  |
| Conjugate   | Janelia Fluor 646  |
| Purity  | Protein A or G purified  |
| Buffer  | 50mM Sodium Borate   |
| Product Description   |  |
| Host  | Mouse  |
| Gene ID   | 5175   |
| Gene Symbol   | PECAM1   |
| Species   | Human, Cynomolgus Monkey, Rabbit   |
| Reactivity Notes  | Use in Human reported in scientific literature (PMID:33953718)   |
| Marker  | Endothelial Cell Marker  |
| Specificity/Sensitivity                                     | CD31 (PECAM-1) is a transmembrane glycoprotein member of the immunoglobulin supergene family of adhesion molecules. CD31 is expressed by stem cells of the hematopoietic system and is primarily used to identify and concentrate these cells for experimental studies as well as for bone marrow transplantation. Anti-CD31 has shown to be highly specific and sensitive for vascular endothelial cells. Staining of nonvascular tumors (excluding hematopoietic neoplasms) is rare. CD31 monoclonal antibody reacts with normal, benign, and malignant endothelial cells which make up blood vessel lining. The level of CD31 expression can help to determine the degree of tumor angiogenesis, and a high level of CD31 expression may imply a rapidly growing tumor and potentially a predictor of tumor recurrence. |
| Immunogen   | Human recombinant CD31/PECAM-1 protein (C31.3) & Membrane preparation of a spleen from a patient with hairy cell leukemia (JC/70A) (Uniprot: P16284)   |
| Notes   | Sold under license from the Howard Hughes Medical Institute, Janelia Research Campus.  |
| Product Application Details                                 |  |
| Applications  | Western Blot, Flow Cytometry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready  |
| Recommended Dilutions                                       | Western Blot, Flow Cytometry, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready  |



Optimal dilution of this antibody should be experimentally determined.

**Application Notes** 



### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-34578JF646

NBP2-54655PEP CD31/PECAM-1 Recombinant Protein Antigen

210-TA-005 TNF-alpha [Unconjugated]

3628-PC-050 CD31/PECAM-1 [Unconjugated]

DVE00 VEGF [HRP]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34578JF646

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

