# **Product Datasheet**

## Kappa Light Chain Antibody (HP6053) - Azide and BSA Free NBP2-34639-0.1mg

Unit Size: 0.1 mg

Store at -20 to -80C. Avoid freeze-thaw cycles.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34639

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34639

## NBP2-34639-0.1mg


Kappa Light Chain Antibody (HP6053) - Azide and BSA Free

Product Information   Unit Size 0.1 mg   Concentration 1.0 mg/ml   Storage Store at -20 to -80C. Avoid freeze-thaw cycles.   Clonality Monoclonal		
Concentration1.0 mg/mlStorageStore at -20 to -80C. Avoid freeze-thaw cycles.		
Storage   Store at -20 to -80C. Avoid freeze-thaw cycles.		
Clonality Monoclonal		
Clone HP6053		
Preservative No Preservative		
Isotype IgG1 Kappa		
Purity Protein A or G purified		
Buffer 10 mM PBS		
Target Molecular Weight22.5 kDa		
Product Description		
Description1.0 mg/ml of antibody purified from Bioreactor Concentrate by Protein A Prepared in 10mM PBS WITHOUT BSA & azide. Also available at 200 WITH BSA & azide (NBP2-34257).Antibody with azide - store at 2 to 8C. Antibody without azide - store at -80C.	ug/ml	
Host Mouse		
Gene ID 3514		
Gene Symbol IGKC		
Species Human		
Marker B-Cell Marker		
<b>Specificity/Sensitivity</b> This monoclonal antibody is specific to kappa light chain of immunoglot shows no cross-reaction with lambda light chain or any of the five heaver. In mammals, the two light chains in an antibody are always identical, we one type of light chain, kappa or lambda. The ratio of Kappa to Lambda However, with the occurrence of multiple myeloma or other B-cell maling this ratio is disturbed. Antibody to the kappa light chain is reportedly use identification of leukemias, plasmacytomas, and certain non-Hodgkins lymphomas. Demonstration of clonality in lymphoid infiltrates indicates infiltrate is malignant.	y chains. ith only i is 70:30. nancies eful in the	
Immunogen Purified human Kappa Light Chain		
Product Application Details		
Applications Western Blot, Flow Cytometry, Immunohistochemistry, Immunohistoche Paraffin, CyTOF-ready	mistry-	
Recommended Dilutions Western Blot 0.5-1.0ug/ml, Flow Cytometry 0.5-2.0ug/million cells, Immunohistochemistry, Immunohistochemistry-Paraffin 0.5-1.0ug/ml, C ready	yTOF-	
Application NotesImmunohistochemistry (Formalin-fixed): 1-2ug/ml for 30 min at RT. Stat formalin-fixed tissues requires heating tissue sections in 10mM Tris with EDTA, pH 9.0, for 45 min at 95C followed by cooling at RT for 20 minut Optimal dilution for a specific application should be determined.	n 1mM	



#### Images

Immunohistochemistry-Paraffin: Kappa Light Chain Antibody (HP6053) -Azide and BSA Free [NBP2-34639] - Formalin-fixed, paraffin-embedded human Tonsil stained with Kappa Light Chain Antibody (HP6053).







#### Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

## **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

#### Products Related to NBP2-34639-0.1mg

HAF007	Goat anti-Mouse IgG Secondary Antibody [HRP]
NB720-B	Rabbit anti-Mouse IgG (H+L) Secondary Antibody [Biotin]
NBP1-43319-0.5mg	Mouse IgG1 Kappa Isotype Control (P3.6.2.8.1)
H00003514-P01-10ug	Recombinant Human Kappa Light Chain GST (N-Term) Protein

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34639

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

