Product Datasheet

Phospho-Tyrosine Antibody (PY793) [Alexa Fluor® 405] NBP2-34730AF405

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com

technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34730AF405

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications Submit a review at www.novusbio.com/reviews/destination/NBP2-34730AF405



NBP2-34730AF405

Phospho-Tyrosine Antibody (PY793) [Alexa Fluor® 405]

Unit Size 0.1 ml Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone PY793 Preservative 0.05% Sodium Azide Sisotype IgG2b Kappa Conjugate Alexa Fluor 405 Purity Protein A purified Buffer SOM Sodium Borate Product Description Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine is in seria cellular protein substrates. Tyrosine-phosphorylate diprotein scale activation, and purification of phosphorylate groteins can be auto-phosphorylated protein substrates. Tyrosine-phosphorylated protein substrates. Tyrosine-phosphorylated is superborylate groteins. Supporting article activation or the detection, characterization, and purification of phosphorynaming proteins. This monoclonal antibody shows no cross-reaction with other phosphoralization activation and is superborylate groteins and is superbor for multiple applications including staining of formalin/parafin tissues. Immunogen Phosphorylosine conjugated to BSA Note		
Concentration Please see the vial label for concentration. If unlisted please contact technical services. Storage Store at 4C in the dark. Clonality Monoclonal Clone PY793 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Alexa Fluor 405 Purity Protein A purified Buffer S0mM Sodium Borate Product Description Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tryrosine residues is the result of activation or stimulation of their respective protein tyrosine exilt of activation or stimulation of their respective protein tyrosine exilt of activation or stimulation of their respective protein tyrosine exilt of activation or stimulation of their respective protein scan be auto-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine conjugated to ESA Immunogen Phosphotyrosine conjugated to ESA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product and components of the product or its components, or any materials made using the product or its components, or any materials made using	Product Information	
services. Storage Store at 4C in the dark. Clonality Monocolonal Clone PY793 Preservative 0.05% Sodium Azide IgG2b Kappa IgG2b Kappa Conjugate Alexa Fluor 405 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Species Non-species specific Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine residues in signal transduction and in the regulation of polynylated kinases or certain cellular proteins exostrates. Tyrosine-phosphorylated proteins. This monocional antibody shows no cross-reaction with other phosphorylated proteins. Antibody to in signal transduction including staining of formalin/parafin tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product and components of the product or its components, or any materials made using the product or its components, or any materials made using the product is components, or any materials made using the product or its components, or any materials made using in lacky bu	Unit Size	0.1 ml
Clonality Monoclonal Clone PY793 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Alexa Fluor 405 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Species Non-species specific Species Non-species specific Specificity/Sensitivity Protein Intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases or certain cellular proteins can be auto-phosphorylated kinases or certain cellular proteins can be auto-phosphorylated kinases or certain cellular proteins can be auto-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation, Antibody to phosphotyrosine containing of tormalinyparafin tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual properly license from Life Technologies Corporation. The purchased product or severite information and components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or is components. (ii) for maintracturing; (ii) to provide a service, information, companents: (i) in manufacturing; (ii) to provide a service, information, conduct in expensite, diagnosti or prophylacite purp	Concentration	•
Clone PY793 Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Alexa Fluor 405 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Host Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphorylot or stimulation of their respective protein tyrosine kinases or certain cellular proteins substrates. Tyrosine-phosphorylated proteins, antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purifications and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purifications on cross-reaction with other phosphoral conveys to the buyer the non-transferable right to use the purchased product and components for multiple applications including staining of formalin/parafin tissues. Immunogen Phosphotyrosine conjugated to Use the product or its components. (i) in manufacturing: (ii) to product are reprovided under an intellectual property license from Life Technologies Corporation. The purchased product and components of the product or its components. (i) in manufacturing: (ii) to provide a service, information, and academic or for-profit entity). The sale of this product cor use yeasity conditioned on the	Storage	Store at 4C in the dark.
Preservative 0.05% Sodium Azide Isotype IgG2b Kappa Conjugate Alexa Fluor 405 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Host Mouse Species Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein styrosine involved in signal transduction and in the regulation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoalmic acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from tuliple applications including staining of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product on its components, in any activity to generate reveue, which may include, but is not limited to use of the product or its components. (i) in manafacturing; (ii) to provide a service, information, or any materials made using the product or tile components, in any activity to generate reveue, which may include, but is not limited to use of the product or its components. (i) in manaf	Clonality	Monoclonal
Isotype IgG2b Kappa Conjugate Alexa Fluor 405 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases or certain cellular protein substrates. Tyrosine-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Phosphotyrosine conjugate to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from tuig the product or its components of this product or unertais which may include, but is not limited to use of this product orupys to a cademic or for-profit entity). The sale of this product orupys to in the product or its components. (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (ii) for therapeutic, diagnostic or prophylate purpases. (viether the buyer is an academic or for-profit entity). The sale of this product or its components on the buyer out using the	Clone	PY793
Conjugate Alexa Fluor 405 Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylated proteins can be auto-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monocional antibody shows no cross-reaction with other phosphorylated proteins and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Phosphorylate proteins are provided under an intellectual property license from Life Technologies Corporation. The purchased product can components of the product or using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product is components; (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnos	Preservative	0.05% Sodium Azide
Purity Protein A purified Buffer 50mM Sodium Borate Product Description Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphorylation tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product is expressly conditioned on the buyer net unsing the product or its components, or any materials made using the product or its components, or any materials made using the product or its components, or any materials made using the product or its components, or any materials made using the product or prophylactic purposes; or (v) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product is expressly conditioned above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the	Isotype	IgG2b Kappa
Buffer 50mM Sodium Borate Product Description Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylator of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphorylated proteins are involved for multiple applications including staining of formalin/paraffin tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the nor-transferable right to use the purchasel product and components of the product or its components, or any materials made using the product or its components, in any activity ogenerate revenue, which may include, but is not limited to use of the product or its components. For information on purchasing al license to this product is in research. For information on purchasing al license to this product or its conposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of th	Conjugate	Alexa Fluor 405
Product Description Host Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell profileration. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphorylated property license from Utiple applications including staining of formalin/paraffin tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profile entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, or any materials made using the product or purchase of this product is propessly conditioned on the buyer is an academic or fits components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturin	Purity	Protein A purified
Host Mouse Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoramino acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product can domponents of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components; (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Techno	Buffer	50mM Sodium Borate
Species Non-species specific Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb for multiple applications including staining of formalin/paraffin tissues. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the nor-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is components. (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) or therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product or. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet. Product Application Details Flow Cytometry, Immunocy	Product Description	
Specificity/Sensitivity Protein phosphorylation is a fundamental event in the regulation of a large number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine trainage. The phosphorylated proteins can be auto-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphomylated protein substrates. Immunogen Phosphotyrosine conjugated to BSA Notes Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or prophylactic purposes: or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, Tref unchased for use in meade on on on purchasing a license to this product or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing al icense to this product or prophylactic purposes; or (iv) and activation of the server may vary from the stated volume of this product. The volume	Host	
number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb for multiple applications including staining of formalin/paraffin tissues.ImmunogenPhosphotyrosine conjugated to BSANotesAlexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product or purposes other than as described above, contact Life Technologies Corporation, 771 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application Details	Species	Non-species specific
NotesAlexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.Product Application DetailsFlow Cytometry, Immunocytochemistry/ Immunofluorescence,	Specificity/Sensitivity	number of intracellular processes. Phosphorylation of specific tyrosine residues is the result of activation or stimulation of their respective protein tyrosine kinases. The phosphorylated proteins can be auto-phosphorylated kinases or certain cellular protein substrates. Tyrosine-phosphorylated proteins are involved in signal transduction and in the regulation of cell proliferation. Antibody to phosphotyrosine provides an excellent tool for the detection, characterization, and purification of phosphotyrosine containing proteins. This monoclonal antibody shows no cross-reaction with other phosphoamino acids and is superb
Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.	Immunogen	Phosphotyrosine conjugated to BSA
Applications Flow Cytometry, Immunocytochemistry/ Immunofluorescence,	Notes	Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The
	Product Application Details	
	Applications	



SIOLOGICALS a **biotechne** brand

Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112 USA Phone: 303.730.1950 Toll Free: 1.888.506.6887 Fax: 303.730.1966 nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6 Canada Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402 canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449 Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com Technical Support: nb-technical@biotechne.com Orders: nb-customerservice@bio-techne.com General: novus@novusbio.com

Products Related to NBP2-34730AF405

NBP1-43317AF405	Mouse IgG2b Kappa Light Chain Isotype Control (MG2b) [Alexa Fluor®
	405]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34730AF405

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

www.novusbio.com

