# **Product Datasheet**

# CD79A Antibody (SPM549) [Alexa Fluor® 647] NBP2-34791AF647

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34791AF647

Updated 10/23/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-34791AF647



# NBP2-34791AF647

CD79A Antibody (SPM549) [Alexa Fluor® 647]

Storage Stor Clonality Mor Clone SPN Preservative 0.05	ase see the vial label for concentration. If unlisted please contact technical vices. re at 4C in the dark. noclonal M549 5% Sodium Azide
ConcentrationPleaseryStorageStorClonalityMorCloneSPNPreservative0.05	ase see the vial label for concentration. If unlisted please contact technical vices. re at 4C in the dark. noclonal M549 5% Sodium Azide
Storage Stor Clonality Mor Clone SPN Preservative 0.05	vices. re at 4C in the dark. noclonal M549 5% Sodium Azide
Clone SPN Preservative 0.05	noclonal M549 5% Sodium Azide
Clone SPN Preservative 0.05	M549 5% Sodium Azide
Preservative 0.05	5% Sodium Azide
Isotyne	4 Vanna
isotype	1 Kappa
<b>Conjugate</b> Alex	xa Fluor 647
<b>Purity</b> Prof	tein A or G purified
Buffer 50m	nM Sodium Borate
Product Description	
<b>Host</b> Mou	use
Gene ID 973	3
Gene Symbol CD7	79A
Species Hun	man
Marker B-C	Cell Marker
CD7 imm imm cell four leuk mye use trea lym	isulphide-linked heterodimer, consisting of mb-1 (or CD79a) and B29 (or 79b) polypeptides, is non-covalently associated with membrane-bound nunoglobulins on B cells. This complex of mb-1 and B29 polypeptides and nunoglobulin constitute the B cell Ag receptor. CD79a first appears at pre B stage, early in maturation, and persists until the plasma cell stage where it is not as an intracellular component. CD79a is found in the majority of acute kemias of precursor B cell type, in B cell lines, B cell lymphomas, and in some elomas. It is not present in myeloid or T cell lines. Anti-CD79a is generally to complement anti-CD20 especially for mature B-cell lymphomas after atment with Rituximab (anti-CD20). This antibody will stain many of the same phomas as anti-CD20, but also is more likely to stain B-lymphoblastic phoma/leukemia than is anti-CD20. Anti-CD79a also stains more cases of sma cell myeloma and occasionally some types of endothelial cells as well.
	ynthetic peptide corresponding to aa 202-216 (GTYQDVGSLNIADVQ) of nan CD79A protein. (Uniprot: P11912)



	Page 2 of 3 v.20.1 Updated 10/23/2024
Notes	Alexa Fluor (R) products are provided under an intellectual property license from Life Technologies Corporation. The purchase of this product conveys to the buyer the non-transferable right to use the purchased product and components of the product only in research conducted by the buyer (whether the buyer is an academic or for-profit entity). The sale of this product is expressly conditioned on the buyer not using the product or its components, or any materials made using the product or its components, in any activity to generate revenue, which may include, but is not limited to use of the product or its components: (i) in manufacturing; (ii) to provide a service, information, or data in return for payment; (iii) for therapeutic, diagnostic or prophylactic purposes; or (iv) for resale, regardless of whether they are resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com. This conjugate is made on demand. Actual recovery may vary from the stated volume of this product. The volume will be greater than or equal to the unit size stated on the datasheet.

<b>Product Application Details</b>	
Applications	Western Blot, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry, Immunohistochemistry-Paraffin, CyTOF-ready
Recommended Dilutions	Western Blot, Immunohistochemistry, Immunocytochemistry/ Immunofluorescence, Immunohistochemistry-Paraffin, CyTOF-ready





### **Novus Biologicals USA**

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

#### **Bio-Techne Canada**

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

#### **Bio-Techne Ltd**

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

#### **General Contact Information**

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

## Products Related to NBP2-34791AF647

IC002R Mouse IgG1 Isotype Control (11711) [Alexa Fluor® 647]

NBP2-60209-50ug Recombinant Human CD79A His Protein

7268-CT-100 CTLA-4 [Unconjugated] 9685-CD-050 CD79A [Unconjugated]

#### Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34791AF647

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

