Product Datasheet

Von Willebrand Factor Antibody (SPM577) [Janelia Fluor® 525] NBP2-34810JF525

Unit Size: 0.1 ml

Store at 4C in the dark.

www.novusbio.com



technical@novusbio.com

Protocols, Publications, Related Products, Reviews, Research Tools and Images at: www.novusbio.com/NBP2-34810JF525

Updated 8/20/2024 v.20.1

Earn rewards for product reviews and publications.

Submit a publication at www.novusbio.com/publications
Submit a review at www.novusbio.com/reviews/destination/NBP2-34810JF525



NBP2-34810JF525

Von Willebrand Factor Antibody (SPM577) [Janelia Fluor® 525]

Product Information Unit Size O.1 ml Concentration Please see the vial label for concentration. services. Storage Store at 4C in the dark. Clonality Monoclonal Clone SPM577 Preservative O.05% Sodium Azide Isotype IgG1 Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer SomM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It act and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi's sarcon used for differentiating vascular lesions from within a panel of other vascular markers alt differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes Sold under license from the Howard Hughe Campus.		
Concentration Please see the vial label for concentration. services. Storage Store at 4C in the dark. Clonality Monoclonal Clone SPM577 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity Von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It ac and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide arbonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers alt differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes	Product Information	
Storage Store at 4C in the dark. Clonality Monoclonal Clone SPM577 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It ac and promotes platelet adhesion and aggreg posttranslational modifications that influenc VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers alt differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes		
Clonality Monoclonal Clone SPM577 Preservative 0.05% Sodium Azide Isotype IgG1 Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It ac and promotes platelet adhesion and aggreg posttranslational modifications that influenc VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altidifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes	If unlisted please contact technical	
Clone Preservative O.05% Sodium Azide Isotype IgG1 Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It ac and promotes platelet adhesion and aggreg posttranslational modifications that influenc VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers alt differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes		
Preservative Isotype IgG1 Kappa Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It ac and promotes platelet adhesion and aggreg posttranslational modifications that influenc VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers alt differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes		
Isotype Conjugate Janelia Fluor 525 Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It acand promotes platelet adhesion and aggreg posttranslational modifications that influenc VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altidifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes		
Conjugate Purity Protein A or G purified Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It acan and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi's sarcon used for differentiating vascular lesions from within a panel of other vascular markers altidifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes		
Purity Buffer 50mM Sodium Borate Product Description Host Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It act and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altidifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes Sold under license from the Howard Hugher		
Buffer 50mM Sodium Borate Product Description Host Mouse Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It acand promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altitifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes Sold under license from the Howard Hugher		
Product Description Host Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It acan promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altidifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes		
Host Gene ID 7450 Gene Symbol VWF Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It act and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi's sarcond used for differentiating vascular lesions from within a panel of other vascular markers alt differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes Sold under license from the Howard Hugher		
Gene Symbol Species Human Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It act and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi's sarcondused for differentiating vascular lesions from within a panel of other vascular markers altidifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Factor Notes Sold under license from the Howard Hugher	Product Description	
Gene Symbol Species Human Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It ad and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altitifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Factor Notes Sold under license from the Howard Hugher		
Species Marker Endothelial Marker Specificity/Sensitivity von Willebrand Factor (vWF) is a multimerice endothelial cells, plasma and platelets. It act and promotes platelet adhesion and aggreed posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altitifierentiation contain this antigen. Immunogen Recombinant human Von Willebrand Factor Notes Sold under license from the Howard Hugher		
Marker Specificity/Sensitivity Von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It and and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers alt differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes Sold under license from the Howard Hugher		
Specificity/Sensitivity von Willebrand Factor (vWF) is a multimeric endothelial cells, plasma and platelets. It act and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers altidifferentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes Sold under license from the Howard Hughe		
endothelial cells, plasma and platelets. It and and promotes platelet adhesion and aggreg posttranslational modifications that influence VIII, including cleavage of the propeptide are bonds. This antibody helps to establish the disputed histogenesis, e.g. Kaposi s sarcon used for differentiating vascular lesions from within a panel of other vascular markers alto differentiation contain this antigen. Immunogen Recombinant human Von Willebrand Facto Notes Sold under license from the Howard Hugher		
Notes Sold under license from the Howard Hughe	cts as a carrier protein for Factor VIII gation. vWF undergoes a variety of see the affinity and availability for Factor and formation of N-terminal disulfide endothelial nature of some lesions of ma and cardiac myxoma. It is widely the those of other tissue differentiation	
Sold under license from the Howard Hughe	r fragment (Uniprot: P04275)	
	es Medical Institute, Janelia Research	
Product Application Details		
Applications Western Blot, Flow Cytometry, Immunocyto Immunohistochemistry, Immunohistochemis		
Recommended Dilutions Western Blot, Flow Cytometry, Immunohisto Immunofluorescence, Immunohistochemisto		
Application Notes Optimal dilution of this antibody should be e	experimentally determined.	
Applications Western Blot, Flow Cytometry, Immunocyto	ochemistry/ Immunofluorescence,	





Novus Biologicals USA

10730 E. Briarwood Avenue Centennial, CO 80112

USA

Phone: 303.730.1950 Toll Free: 1.888.506.6887

Fax: 303.730.1966

nb-customerservice@bio-techne.com

Bio-Techne Canada

21 Canmotor Ave Toronto, ON M8Z 4E6

Canada

Phone: 905.827.6400 Toll Free: 855.668.8722 Fax: 905.827.6402

canada.inquires@bio-techne.com

Bio-Techne Ltd

19 Barton Lane Abingdon Science Park Abingdon, OX14 3NB, United Kingdom Phone: (44) (0) 1235 529449

Free Phone: 0800 37 34 15 Fax: (44) (0) 1235 533420 info.EMEA@bio-techne.com

General Contact Information

www.novusbio.com

Technical Support: nb-technical@bio-

techne.com

Orders: nb-customerservice@bio-techne.com

General: novus@novusbio.com

Products Related to NBP2-34810JF525

NBP2-34494PEP Von Willebrand Factor Recombinant Protein Antigen

210-TA-005 TNF-alpha [Unconjugated]

KA0512 Human Von Willebrand Factor ELISA Kit (Colorimetric)

DVE00 VEGF [HRP]

Limitations

This product is for research use only and is not approved for use in humans or in clinical diagnosis. Primary Antibodies are guaranteed for 1 year from date of receipt.

For more information on our 100% guarantee, please visit www.novusbio.com/guarantee

Earn gift cards/discounts by submitting a review: www.novusbio.com/reviews/submit/NBP2-34810JF525

Earn gift cards/discounts by submitting a publication using this product: www.novusbio.com/publications

